Owner's Manual

IMPORTANT SAFETY INSTRUCTIONS

FOR HOUSEHOLD USE ONLY • PLEASE READ CAREFULLY BEFORE USE

If the plug does not fit fully into the outlet, reverse the plug. If it still does not fit. contact a qualified electrician. DO NOT force into outlet or try to modify to fit.

A WARNING

804109766

To reduce the risk of fire, electric shock, injury, or property damage:

GENERAL WARNINGS

- Your vacuum cleaner may consist of a motorized nozzle, wand, hose, and/ or vacuum pod. This device contains electrical connections, electrical wiring, and moving parts that potentially present risk to the user.
- Use only identical replacement parts.
- Carefully observe and follow the instructions provided below to avoid improper use of the appliance. **DO NOT** use the vacuum for any purpose other than those described in this manual.
- Before use, carefully inspect all parts for any damage. **DO NOT** use if any parts are damaged
- The use of an extension cord is NOT recommended.
- This vacuum cleaner contains no serviceable parts.

USE WARNINGS

- DO NOT allow the appliance to be used by children. Close supervision is necessary when used near children. This is not a tov.
- Always turn off the vacuum cleaner before connecting or disconnecting any motorized nozzles or other accessories.
- DO NOT handle plug or vacuum cleaner with wet hands
- DO NOT use without filters in place.
- · Only use filters an accessories provided with this unit. Failure to do so will also void the warranty.
- DO NOT damage the power cord:
- a) DO NOT pull or carry vacuum cleaner by the cord or use the cord as a handle.
- **b) DO NOT** unplug by pulling on cord. Grasp the plug, not the cord.
- c) DO NOT run the vacuum cleaner over the power cord, close a door on the cord, pull the cord around sharp corners, or leave the cord near heated surfaces.
- DO NOT put any objects into nozzle or accessory openings. DO NOT use with any opening blocked; keep free of dust, lint, hair, and anything that may reduce airflow
- DO NOT use if nozzle or accessory airflow is restricted. If the air paths or the motorized floor nozzle become blocked, turn the vacuum cleaner off and unplug from electrical outlet. Remove all obstructions before you plug in and turn on the unit again.
- Keep nozzle and all vacuum openings away from hair, face, fingers, uncovered feet, or loose clothing
- DO NOT use if vacuum cleaner is not working as it should, or has been dropped, damaged, left outdoors, or dropped into water.

SAVE THESE INSTRUCTIONS

- Use extra care when cleaning on stairs.
- · DO NOT leave the vacuum cleaner unattended while plugged in.
- When powered on, keep the vacuum cleaner moving over the carpet surface at all times to avoid damaging the carpet fibers.
- DO NOT place vacuum cleaner on unstable surfaces such as chairs or tables.
- Your Shark® vacuum may not be designed to stand up on its own. When taking a break from cleaning, you may need to lean it against furniture or a wall, or lay it flat on the floor. Using the vacuum for an application where the unit lacks stability may result in personal injury.
- DO NOT use to pick up:
- a) Liquids
- b) Large objects
- c) Hard or sharp objects (glass, nails, screws, or coins)
- d) Large quantities of dust (drywall dust, fireplace ash, or embers). DO NOT use as an attachment to power tools for dust collection.
- e) Smoking or burning objects (hot coals, cigarette butts, or matches)
- f) Flammable or combustible materials (lighter fluid, gasoline, or kerosene)
- g) Toxic materials (chlorine bleach, ammonia, or drain cleaner)
- DO NOT use in the following areas:
- a) Poorly lit areas
- b) Wet or damp surfaces

flammable dust)


- c) Outdoor areas d) Spaces that are enclosed and may contain explosive or toxic fumes or vapors (lighter fluid, gasoline, kerosene, paint, paint thinners, mothproofing substances, or
- Turn off all controls before plugging in or unplugging the vacuum
- · Unplug from electrical outlet when not in use and before any maintenance or cleaning.
- Hand wash with water only. Washing with cleaning chemicals could damage
- During cleaning or routine maintenance, DO NOT cut anything other than hair, fibers, or string wrapped around the brushroll
- · Allow all filters to air-dry completely before replacing in the vacuum to prevent liquid from being drawn into electric parts
- Make sure the dust cup and all filters are in place after routine maintenance.
- If provided, secure the power cord around the two cord hooks during storage.

To reduce the risk of electric shock, this appliance has a polarized plug (one blade is wider than the other). This plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician to install the proper outlet. Do not change the plug in any way.


ASSEMBLY

- 1. Insert wand into pod.
- 2. Insert handle into wand
- 3. Attach hose to back of vacuum pod.
- 4. Attach hose to clip on wand.
- 5. Store accessories on tool storage posts.

For proper operation, ensure all parts are firmly clicked into place








POWER CORD




For cord access, rotate upper hook down and remove cord.



Use cord clip located on the side of wand to hold cord in place while vacuuming

WHOLE-HOME CLEANING

SETTINGS



(Click)

- For bare floors and small area rugs

- O Power Off I Hard Floor
- II Carpet

SUCTION CONTROL

depending on your floor type. MIN: to reduce suction and increase

Your Suction Control slider located on the top

of the handle allows you to adjust your suction

maneuverability on carpets.

MAX: to increase suction on bare floors.

BRUSHROLL INDICATOR LIGHT



WHAT DOES THE BRUSHROLL INDICATOR LIGHT MEAN?

Solid Green: The brushroll is spinning and working as it should.

Solid Red: There is a jam in the brushroll area. Turn your vacuum off, unplug from the wall and ve any blockages in the nozzle.

Flashing Red: The motorized floor nozzle is overheating. Turn your vacuum off and wait a m of 45 minutes for it to cool down

Note: For deep carpet cleaning per ASTM F608 (embedded dirt in carpets), set to MAX suction and use setting II, Carpet

CLEANING MODES



To engage brushroll, place foot on floor nozzle and tilt handle back



Press the Handle Release button to detach the handle from the wand.




Press the Wand Release button to detach the wand from the pod.

EMPTYING THE DUST CUP




IMPORTANT: Unplug the power cord before performing any maintenance




To remove **Dust Cup**, press button on top of dust cup handle. Tilt dust cup forward, then lift to



Press lower release button to open bottom of



To remove collected debris from Lint Screen press top release button and lift handle to open. Gently brush lint screen to clean.



To reinstall, place bottom of dust cup into pod and then tilt back until it clicks into place


CLEANING AND REPLACING THE FILTERS

CLEANING FILTERS

Regularly clean and replace your filters to keep your vacuum's suction power optimal.


To clean filters, rinse with cold water only to prevent damage from cleaning chemicals. Allow all filters to air-dry for at least 24 hours before reinstalling them to prevent liquid from being drawn into electric parts.

IMPORTANT: DO NOT use soap when cleaning the filters.



CLEAN PRE-MOTOR FILTERS EVERY 3 MONTHS

Remove **Dust Cup**, then lift out **Filters**.





CLEAN HEPA FILTER EVERY YEAR

Press down top of **Filter Door**. Tilt filter door and lift out. Press tab at top of **HEPA Filter** and pull away from the base of the vacuum. To reinstall, insert HEPA filter into unit and replace the filter door.

MAINTENANCE

CLEANING THE BRUSHROLL






DEBRIS BEHIND BRUSHROLL

Using a coin, turn locks counterclockwise, then lift the cover to access **Brushroll**.

DEBRIS WRAPPED AROUND BRUSHROLL



Clean off any debris on the bristles.

brushroll. Clear away any dust, dirt, or blockages in

Debris Intake.

To close the cover, push down until it clicks into


If you run over a **hard or sharp** object or

notice a noise change while vacuuming, check


for blockages or objects caught behind the

To close the cover, push down until it clicks integrated place, then close the locks with a coin.

CHECKING FOR BLOCKAGES



Detach hose from vacuum pod, and check hose and opening on back of pod for blockages.



Detach wand from power unit, lay unit down, and check opening for blockages.



Detach dust cup from vacuum pod. Empty dust cup, remove debris from lint screen, and check for blockages.

Note: The images shown here are for illustrative purposes only and may be subject to change.

Detach wand from floor nozzle and handle, and

Detach handle from wand and hose from the

vacuum pod, and check openings for blockages

check both ends for blockages

TROUBLESHOOTING

Vacuum is not picking up debris. No suction or light suction.

- Check filters to see if they need cleaning. Follow instructions for rinsing and air-drying the filters before reinserting in the vacuum.
- Dust cup may be full; empty dust cup.
- Check hose, hose connections, nozzle, wand, pod, and accessories for blockages. Clear any blockages found.
- If any string, carpet fibers, or hair is wrapped around the brushroll, remove the floor nozzle cover and carefully cut debris with scissors and remove from brushroll. See Cleaning the Brushroll section for more information.

Vacuum lifts area rugs.

- Make sure Power/Surface switch is set to Hard Floor (setting I).
- Suction is powerful. Take care when vacuuming area rugs or rugs with delicately sewn edges.

Brushroll does not spin in carpet cleaning mode.

- If the Brushroll Indicator Light turns red, immediately turn off and unplug the vacuum. Remove pod from floor nozzle and clear any blockages. Reconnect nozzle, plug in vacuum, and turn on power
- With the power on, recline the handle, which will automatically turn on the brushroll.
- Ensure that the Power/Surface switch is set to Carpet (setting II) for brushroll to spin.

Vacuum turns off on its own or indicator light flashes red.

This vacuum is equipped with a motor-protective thermostat. If your vacuum overheats, the thermostat will automatically turn the suction motor off. Perform the following steps to restart the thermostat:

- 1. Turn vacuum off and unplug it.
- 2. Empty dust cup and clean filters (see Emptying the Dust Cup and Cleaning the Filters).
- 3. Check for blockages in hose, accessories, and inlet openings.
- 4. Allow unit to cool for a minimum of 45 minutes.
- 5. Plug in vacuum and restart with the Power/Surface switch.

REFURBISHED PRODUCT LIMITED NINETY DAYS WARRANTY

The **Refurbished Product Service Center** offers the following WARRANTY to the ORIGINAL purchaser of a product which we have refurbished.

This product that has been refurbished is warranted against any electronic or mechanical defects for a period of NINETY DAYS from the date of the original purchase by the consumer. Since this unit was sold as a refurbished item, the warranty does not apply to any cosmetic appearance items such as scratches. Should a defect occur, the *Refurbished Product Service Center* will repair or, at its option, replace defective unit/parts with new or rebuilt materials without charge for either parts or labor. Replacement unit/parts will be warranted for the remaining portion of the original warranty period.

This warranty does not cover installation or damage from accident, misuse, abuse, improper wiring, incorrect voltage, operating the unit against the instructions in the owner's manual or any product which has been opened, altered, or tampered with.

This warranty does not cover costs for removal and or installation of the unit for repair. Under no circumstances shall the service center be liable for any special, incidental or consequential damages or for any other expenses incurred by reason of use or sale of this product. This warranty is in lieu of any other warranties expressed or implied warranty of merchantability of fitness for particular use or otherwise.

This warranty gives the consumer specific legal rights and they may also have other rights which vary from State to State. Some States do not follow the exclusion or limitation of incidental or consequential damages, hence the above exclusion and limitations may not apply.

Refurbished Product Service Center 13225 Marquardt Avenue Santa Fe Springs, CA 90670.

WARRANTY REPAIR INFORMATION

If you need service on your unit and this product requires repair during the 90 days warranty period; please go to **www.ConsumerServiceRefurbish.com** or call the **Refurbished Product Service Center** at 562-946-3531 to obtain the required return authorization (RA) number. Pack the unit properly (the original carton is ideal for this purpose) along with a copy of your purchase receipt and a letter describing the problem. Send the unit freight prepaid and insured to:

Refurbished Product Service Center,
Att: Customer Service Department 13225 Marquardt Avenue Santa Fe Springs, CA 90670

Your unit will be promptly repaired and returned to you.

We will refuse to accept delivery of the returned unit unless the assigned RA number appears on the outside of the shipping carton.

Owner's Information

(Keep for your permanent records)

NAME:
ADDRESS:
CITY:
STATE:ZIP CODE:
PHONE:
E-MAIL:
MODEL
MODEL:
SERIAL NO.:

Printed in Mexico Sc: 02.25.2020 Pgs.:TAB Obpn:NV250Series_IB_MP_Mv3_181207 Shnmdl: NV250_BP

TECHNICAL SPECIFICATIONS

Voltage: 120V, 60Hz Amps: 9.5A 804109766




Note: The images shown here are for illustrative purposes only and may be subject to change.

Please be sure to read the enclosed Shark* Owner's Guide prior to using your unit.

QUICK START GUIDE

WHAT'S INSIDE:

- A Vacuum Pod
- B Handle & Hose
- © Wand
- © Crevice Tool
- **E** Upholstery Tool



Shnmdl: NV250_B elbrd:m.c

ASSEMBLY

- 1. Insert Wand into Pod.
- 2. Insert Handle into wand.
- 3. Attach Hose to back of pod.
- 4. Store Accessories on tool

For proper operation, ensure all parts are firmly clicked into place.

Accessory type and quantity may vary depending on the model.

8 0 4 0 0 9 7 6 6 A

