

# Shark®

## Air Purifier

### HP200 Series

## OWNER'S GUIDE



814100204

Please read this manual carefully before operating your unit and retain for future reference.

## IMPORTANT SAFETY INSTRUCTIONS

HOUSEHOLD USE ONLY

### **⚠ WARNING**

**TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK, OR INJURY:**

#### GENERAL WARNINGS

1. This appliance has a polarized plug (one blade is wider than the other). To reduce the risk of electric shock, this plug is intended to fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not attempt to defeat this safety feature. Unplug or disconnect the appliance from the power supply before servicing.
  2. **DO NOT** operate any unit with a damaged cord or plug. Contact a service center.
  3. **DO NOT** run cord under carpeting. **DO NOT** cover cord with throw rugs, runners, or similar coverings. **DO NOT** route cord under furniture or appliances. Keep cord away from high traffic areas where it will not be tripped over.
  4. If the power cord is damaged, contact a service center.
  5. This appliance is not intended for use by anyone (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
  6. Children should be supervised to ensure that they **DO NOT** play with the appliance.
  7. Cleaning and user maintenance shall not be made by children without supervision.
  8. Prior to cleaning or other maintenance, the appliance must be unplugged from the electrical outlet.
  9. **DO NOT** handle plug or appliance with wet hands.
  10. **DO NOT** use without filter in place.
  11. Only use Shark® branded filters and accessories.
  12. **DO NOT** damage the power cord:
    - a) **DO NOT** pull or carry appliance by the cord or use the cord as a handle.
    - b) **DO NOT** unplug by pulling on cord. Grasp the plug, not the cord.
    - c) **DO NOT** stand the appliance on the power cord, close a door on the cord, pull the cord around sharp corners, or leave the cord near heated surfaces.
  13. **DO NOT** use with any opening blocked; keep free of dust, lint, hair, and anything that may reduce airflow.
  14. **DO NOT** use if airflow is restricted. If the air paths become blocked, turn the appliance off and unplug from electrical outlet. Remove all obstructions before you plug in and turn on the unit again.
  15. **DO NOT** use if appliance is not working as it should, or has been dropped, damaged, left outdoors, or dropped into water.
  16. **DO NOT** place appliance on unstable surfaces such as chairs or tables.
  17. **DO NOT** use in the following areas:
    - a) Wet or damp surfaces
    - b) Outdoor areas
    - c) Spaces that are enclosed and may contain explosive or toxic fumes or vapors (lighter fluid, gasoline, kerosene, paint, paint thinners, mothproofing substances, or flammable dust)
  18. Turn off all controls before plugging in or unplugging the appliance.
  19. Unplug from electrical outlet when not in use and before any maintenance or cleaning.
  20. Hand-wash with water only. Washing with cleaning chemicals could damage the unit.
  21. Make sure filter is in place after routine maintenance.
  22. Not suitable for use with solid-state speed controls.
- #### HP230 SERIES ONLY: ODOR NEUTRALIZER TECHNOLOGY
23. Observe the following when interacting with the odor neutralizer technology cartridge.
    - a) **DO NOT** attempt to disassemble odor neutralizer technology cartridge.
    - b) Avoid direct contact with the fragrance pod in the cartridge.
    - c) **DO NOT** directly inhale from the odor neutralizer technology cartridge.
    - d) Keep away from children and pets.
    - e) Keep away from heat, sparks, and open flame.
    - f) **DO NOT** place in direct sunlight.
- #### HP230 SERIES ONLY: ODOR CARTRIDGE FIRST AID
- a) Avoid contact with fabrics and finished surfaces.
  - b) Eye contact: Remove contact lenses if present. Rinse continuously with water for several minutes.
  - c) Skin contact: Wash hands thoroughly after handling. If irritation or rash develops, seek medical advice/attention.
  - d) Inhalation: Move person to fresh air if they are experiencing any respiratory symptoms. If symptoms persist, seek medical advice/attention.
  - e) Ingestion: **DO NOT** induce vomiting. Seek medical advice/attention.
24. Dispose of batteries properly. Keep batteries away from children at all times. Even used batteries can cause injury.

### **⚠ WARNING: Chemical Burn Hazard. Keep batteries away from children.**

This product contains a lithium button/coin cell battery. If a new or used lithium button/coin cell battery is swallowed or enters the body, it can cause severe internal burns and can lead to death in as little as 2 hours. When not changing batteries, keep the battery compartment completely closed. If the battery compartment does not close securely, stop using the product, remove the batteries, and keep them away from children. If you think batteries might have been swallowed or placed inside any part of the body, seek immediate medical attention.

## SAVE THESE INSTRUCTIONS

## SETTING UP YOUR AIR PURIFIER

### Parts:

1. Air Output Vents
2. Control Panel
3. Front Display
4. Air Purifier Base
5. Air Intake Vents
6. Filter
7. Filter Door
8. \*Odor Neutralizer Technology Dial

Accessory type and quantity may vary depending on the model.



### TIPS FOR SETTING UP YOUR AIR PURIFIER


- Make sure the front panel faces away from the closest wall.
- Do not move the unit while it is running. Turn off the power and unplug the air purifier before moving it.
- Make sure the air intake vents are not blocked.
- Do not place anything on the air purifier.
- Do not place the air purifier near heaters or radiators.
- Keep the air purifier out of direct sunlight and away from water or other liquid.
- Keep all nearby doors and windows closed when operating the air purifier.
- Avoid using in very humid environments.

**\*Note:** Odor Neutralizer Technology is not included on all Shark HP200 series products.

## SETTING UP YOUR AIR PURIFIER




1. **DO NOT** plug in your air purifier immediately. Carefully turn the air purifier upside down and place it on a level surface. Rotate the filter door counterclockwise to unlock it, take out the filter, and remove the filter from the plastic packaging.



2. Reinstall the filter and twist the filter door clockwise until it clicks into place.

### Odor Neutralizer Technology

Some purifiers come with an Odor Neutralizer Technology cartridge. If your unit has Odor Neutralizer Technology, locate the odor cartridge and follow the installation instructions.



3. Set up the air purifier on a level surface, at least 3 inches (8 cm) from walls and objects. Plug the air purifier into an electrical outlet and press the power button on the top of the panel.

## UNDERSTANDING YOUR AIR QUALITY



When the unit is powered on, it will begin to analyze the air quality, indicated by the rotating lights. After a few seconds, the unit will display the current air quality.



## CONTROL PANEL

There is a control panel on the top of the air purifier and a display screen on the front of the unit.

### TOP CONTROL PANEL














**NOTE:** The images shown here are for illustrative purposes only and may be subject to change, the actual descriptions of control panel and their locations may vary depending on the model.

### FRONT DISPLAY SCREEN

Displays the current air quality status based on the Air Info mode selected on the top control panel.











### TOP CONTROL PANEL BUTTONS

-  **On/Off:** Press to turn the power on or off.
  -  **Auto Mode:** Press to turn on Auto Mode. In this setting the fan speed automatically adjusts based on real time air quality readings. As the air quality improves, the fan speed will decrease. If air quality worsens, the fan speed will increase. **Leave your unit in Auto Mode for optimal filter life and performance.**
  -  **Fan Speed:** Adjusts the speed of the fan. Select one of 5 settings: 1 Low, 2 Medium, 3 High, 4 Powerful, 5 Maximum. Note: If fan speed is manually changed, Auto Mode will be deactivated. For tips and more information, see the Optimizing Fan Speed section.
  -  **Air Info:** Press to switch between air quality display options. See the Air Info Settings section for more information.
  -  **Brightness:** Adjusts the brightness of both the front display screen and the top control panel. Switch between 3 options: full brightness, partially dim, fully dim.
  -  **Shut-Off Timer:** Set the number of hours for the air purifier to run before it automatically shuts off. Timer can be set from 1 to 12 hours.
  -  **Filter Life:** Press to show the remaining filter life. Once the filter has 0% remaining, the FILTER LIFE button will flash to indicate the filter needs to be changed. See the Installing and Removing the Filter section for more information.
  -  **Child Lock:** Press and hold for two seconds to lock the top control panel buttons. To unlock, press and hold for two seconds again.
- Tips and Tricks:**
-  **Optimize Performance In Eco Mode:** After 100% clean air status is achieved for 10 minutes in Auto Mode, your air purifier will enter Eco Mode. Your unit's filter life will be optimized.
  -  **Control Your Air Purifier's Beeping:** Press and hold the Air Info and Child Lock buttons at the same time for two seconds to turn beeping off or on.
  -  **Maximize fan speed:** Press and hold the Fan Speed Up button for 2 seconds. *(UA205 only)*


## AIR INFO SETTINGS

The built-in sensor detects your air quality to give you real-time information. Use the **AIR INFO** button  to switch between air quality display options.


INFO	FRONT DISPLAY SCREEN	REAL-TIME READING
<b>% CLEAN AIR</b>		Displays the air quality rating: <ul style="list-style-type: none"> <li>• Poor: 0%–69%</li> <li>• Fair: 70%–84%</li> <li>• Good: 85%–100%</li> </ul> % CLEAN AIR uses particulate matter (PM) Air Quality Standards as determined by the EPA to calculate the air quality rating.
<b>TIME TO CLEAN AIR</b> MIN		Shows the estimated time remaining until your air is clean.
<b>PARTICLE SIZES</b>		<b>The PM (particulate matter) value is the amount of particulate in your air, measured in micrograms (µg) per cubic meter. Your air purifier measures three particle sizes, PM1, PM2.5, and PM10.</b>
<b>PM1</b> 		Displays the amount of PM1-sized particles in your air, including ultra-fine allergens.
<b>PM2.5</b> 		Displays the amount of PM2.5-sized particles in your air, including smoke.
<b>PM10</b> 		Displays the amount of PM10-sized particles in your air, including dust and pollen.

## UNDERSTANDING YOUR AIR QUALITY


The rings on the front and top displays will change color as your air quality changes, allowing you to easily monitor your air quality even when you are far from the unit.



A blue ring means your air quality is good, with a low level of particle concentration.



An amber ring means your air quality is fair, with a moderate level of particle concentration. For better results, increase fan speed or select Auto Mode.



A red ring means your air quality is poor, with a high level of particle concentration. For better results, increase fan speed or select Auto Mode.

**Note:** The air quality sensor uses a cumulative particle count across all particle sizes to determine percentage of clean air.

## OPTIMIZING FAN SPEED

Your air purifier is equipped with 5 fan speed settings. Adjust fan speed to optimize your cleaning performance.

DISPLAY	SPEED	BEST FOR
	1	Quiet Operation
	2	Reducing Odors
	3	Reducing Allergens
	4	Powerful Cleaning
	5	Maximum Cleaning (Select SKUs Only)

## TROUBLESHOOTING AND FREQUENTLY ASKED QUESTIONS

<b>Product</b>	<b>What are the recommended settings?</b>	We recommend using this air purifier in Auto Mode. Auto Mode leverages your air purifier's particle sensor, and this adjusts the fan speed automatically. Higher fan speeds work best for allergy sufferers and dirty environments.
	<b>What is Eco Mode?</b>	After 100% clean air is achieved for 10 minutes in Auto Mode, your air purifier will enter Eco Mode. The fan will turn off until particles are detected. This will optimize your filter's life.
	<b>Can I mute the air purifier so it doesn't beep?</b>	To control your unit's beeping, press and hold the Air Info and Child Lock buttons at the same time for two seconds.
	<b>Why are my control panel buttons not working?</b>	Your air purifier may have the child lock setting activated. Press and hold the Child Lock button for two seconds to turn this setting on or off.
	<b>How frequently should I replace my odor cartridges?</b>	Odor cartridges should be replaced every 3 months or as needed for optimal Odor Neutralizer Technology performance. <i>*Odor Neutralizer Technology is not included on all Shark HP200 series products.</i>
<b>Air Quality</b>	<b>Why is my air quality always at 100%?</b>	If your air purifier displays a blue ring, your air quality is good. However, air quality will fluctuate as you introduce pollutants into your home. Activities like smoking, cooking, dusting, or spraying cleaning products (among other things) can add more pollutants to your air. Our Clean Sense IQ™ technology tracks this fluctuation in real time and adjusts as it detects particles. To determine if the sensor is working correctly, spray perfume or aerosol cleaning product near the sensor above the filter door. Please contact a service center.
	<b>Why is my air quality never at 100%?</b>	If your air quality never reaches 100%, make sure that the filter is properly installed and that its original plastic packaging has been removed. Activities like smoking, burning candles, running a humidifier, opening windows, and cooking (among other things) can add more pollutants to your air. Make sure to survey your environment and remove anything that could be causing low air quality.
<b>Filter</b>	<b>Can I wash the filter?</b>	No, the filter is not washable. Keep filter away from water and dispose of it when it is dirty.
	<b>How often should I replace the filter?</b>	We recommend replacing the filter every 6-12 months.
	<b>How do I optimize my filter life?</b>	To maximize the life of the filter, reorient it every three months: remove the filter, turn it upside down, then reinsert it, making sure that the side that was previously on top is now on the bottom. This will help equalize the distribution of captured particles throughout the filter, helping to extend its useful life.
	<b>Where can I buy replacement filters?</b>	You can buy replacement filters.

For further assistance, contact a service center.



## INSTALLING AND REMOVING THE FILTER

**NOTE:** Always remove all protective packaging from the filter before installing.

When the filter timer has 0% remaining, the FILTER LIFE button on the top control panel will blink, indicating that it's time to install a new filter.

1. Turn off and unplug the unit before removing or installing filters.
2. Carefully turn the air purifier upside down. Remove the bottom filter by rotating it to the unlocked position.
3. To remove the old filter, pull it out by the removal tabs. Discard old filter in trash.
4. Remove all packaging and wrapping from the new filter.
5. Insert the new filter, then replace the filter door. Rotate the filter door until it clicks into place.
6. Carefully return the air purifier to the upright position. Plug the unit back in and turn on power. Calibration will begin.
7. After installing a new filter, press and hold the Filter Life button on the top control panel for 3 seconds to reset the filter life percentage. The unit will beep when the filter life is reset to 100%.



### Disposing of used filters

Filters can't be cleaned or recycled. After removing a used filter, wrap it in an airtight plastic bag for disposal. As an extra precaution, wear gloves when handling a dirty filter.

## MAINTAINING YOUR AIR PURIFIER

**NOTE:** Always unplug the unit before doing any cleaning or maintenance.

### Exterior Cleaning:

For best results, clean the exterior every two months or as needed. Use a \*microfiber cloth to remove dust. To clean, wipe down the exterior with a \*microfiber cloth dampened with warm, soapy water. Avoid excess water and abrasive chemical cleaners to prevent damage.




### Interior Cleaning:

For best results, clean the interior of the air purifier every two months or as needed. Remove the filter door, take out the filter, and use a \*vacuum cleaner or a \*microfiber cloth to remove dust and debris from the interior. **DO NOT** use abrasive chemical cleaners on the inside of the air purifier.




To maximize the life of the filter, reorient it every three months: remove the filter, turn it upside down, then reinsert it, making sure that the side that was previously on top is now on the bottom. This will help equalize the distribution of captured particles throughout the filter, helping to extend its useful life.




## ODOR NEUTRALIZER TECHNOLOGY

**NOTE:** Odor Neutralizer Technology is not included on all Shark HP200 series products.




**1. OPEN THE PACKAGED ODOR CARTRIDGE ASSEMBLY**

Remove the odor cartridge assembly.



**2. INSERT ODOR CARTRIDGE ASSEMBLY INTO AIR PURIFIER**

Flip up the handle on the odor dial, align the arrows, then insert the assembly into the air purifier.



**3. ROTATE UNTIL CLICK**

To lock and engage the odor cartridge assembly, rotate it counterclockwise until it clicks at least once. Continue to rotate the dial toward the high position to increase the intensity.

## SETTINGS

**Settings:** The Odor Neutralizer Technology dial has 4 intensity settings: Low, Medium, High, and Off.

ODOR DIAL POSITION	CLICKS	SETTING	RECOMMENDED FOR
	1	<b>OFF</b>	<ul style="list-style-type: none"> <li>When you are not actively looking to reduce odors. This will extend the life of the odor cartridge.</li> </ul>
	2	<b>LOW</b>	<ul style="list-style-type: none"> <li>Mild odor events such as trash smells.</li> <li>Small spaces like a bathroom or entryway.</li> </ul>
	3	<b>MEDIUM</b>	<ul style="list-style-type: none"> <li>Strong odor events such as cooking or pet smells.</li> <li>Mid-sized spaces like a bedroom or kitchen.</li> </ul>
	4	<b>HIGH</b>	<ul style="list-style-type: none"> <li>Optimal odor-reducing performance.</li> <li>Extreme odor events such as smoke or lingering burnt smells.</li> <li>Large spaces like a living room or multiple rooms.</li> </ul>

**Note:** Adjusting the fan speed is another way to control Odor Neutralizer Technology intensity. See the Optimizing Fan Speed section for more information.

**LOW**  
Rotate the dial to the Low position to decrease intensity to the lowest level when in use.

**HIGH**  
Rotate the dial to the High position to increase intensity to the highest level when in use.

## TIPS

### Odor Cartridge Removal

- Remove the odor cartridge from the dial if you don't want to use Odor Neutralizer Technology.
- To remove the cartridge, flip up the handle and rotate the odor dial clockwise until the two arrows are aligned. Pull the handle to remove the dial and access the cartridge.

### Maintenance Required


- Replace the cartridge as recommended under Odor Cartridge Replacement.

### Fragrance Strength Over Time

- The intensity of the Odor Neutralizer Technology's fragrance may diminish over time. It may also have no noticeable fragrance at all. This is natural and does not indicate that the technology is not working. Follow replacement instructions to ensure continued performance.


# ODOR NEUTRALIZER TECHNOLOGY REPLACEMENT

**NOTE:** Odor Neutralizer Technology is not included on all Shark HP200 series products.




**1. REMOVE THE ODOR CARTRIDGE ASSEMBLY**

Flip up the handle and rotate the dial counterclockwise until the two arrows are aligned. Pull the handle to remove the dial from the air purifier.




**2. REMOVE OLD ODOR CARTRIDGE**

Rotate the cartridge counterclockwise in the dial housing and pull out the cartridge to remove it.




**3. INSTALL NEW CARTRIDGE IN DIAL**

Align the yellow arrow on the side of the cartridge with the yellow arrow on the side of the dial cover, then insert the cartridge into the dial. Rotate the cartridge clockwise to lock it in place.



**4. INSTALL THE ODOR DIAL ASSEMBLY**

Align the arrow on the dial cover with the arrow on the air purifier, then reinsert the dial into the air purifier. Rotate the dial counterclockwise until it clicks into an intensity setting to engage. Rotate further to change the intensity setting.



**5. USED CARTRIDGE DISPOSAL**

Dispose of the old cartridge by dropping it into the trash.

**Note:** Odor cartridges should be replaced every 3 months or as needed for optimal Odor Neutralizer Technology performance.

## IMPORTANT INFORMATION

### BATTERY REMOVAL AND DISPOSAL

This product's remote control uses a lithium button battery. When the battery no longer has a charge, it should be removed from the remote and recycled. **DO NOT** incinerate or compost the battery.

When your lithium battery needs to be replaced, dispose of it or recycle it in accordance with local ordinances or regulations. In some areas, it is illegal to place spent lithium batteries in the trash or in a municipal solid waste stream. Return spent battery to an authorized recycling center or to retailer for recycling. Contact your local recycling center for information on where to drop off the spent battery.



### FCC WARNINGS

Note: This unit has been tested and found to comply with FCC limits for Class B digital devices. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This unit generates, uses, and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

To see if this unit interferes with radio or television reception, try turning it off and on.

To correct any interference:

- Reorient or relocate the receiving antenna.
- Increase the distance between the unit and the receiver.
- Connect the unit to a different outlet than the receiver.
- Consult the dealer or an experienced technician for help .

Caution: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate it.

### TECHNICAL SPECIFICATIONS

Voltage: 120V~ 60Hz  
Watts: 36W  
UA205: 45W

### PLEASE READ CAREFULLY AND KEEP FOR FUTURE REFERENCE.

This Owner's Guide is designed to help you get a complete understanding of your new Shark® Air Purifier.  
SharkNinja Operating LLC

Illustrations may differ from actual product. We are constantly striving to improve our products; therefore the specifications contained herein are subject to change without notice. This product may be covered by one or more U.S. patents.

See [sharkninja.com/patents](http://sharkninja.com/patents) for more information.

© 2023 SharkNinja Operating LLC. SHARK is a registered trademark of SharkNinja Operating LLC.  
CLEAN SENSE IQ and SHARK NANOSEAL are trademarks of SharkNinja Operating LLC.

PRINTED IN MEXICO

Elbrd: J.M

SC: 02-14-2024

OBPN:HP200Series\_NY2\_QSG\_MP\_Mv4\_230525

SHDML: HP232

**814100204**

