

* LG LED TV applies LCD screen with LED backlights

OWNER'S MANUAL | Safety and Reference

LED TV*

Please read this manual carefully before operating your set and retain it for

43UP7100ZUF	65UP7560AUD	43UP7670PUC	65UP7670PUC	43UP8000PUA	65UP8000PUA
43UP7560AUD	70UP7070PUE	43UP7700PUB	65UP7700PUA	43UP8000PUR	65UP8000PUR
50UP7100ZUF	70UP7170ZUC	50UP7670PUC	65UP7700PUB	50UP8000PUA	70UP8070PUA
50UP7560AUD	70UP7570AUD	50UP7700PUB	70UP7670PUB	50UP8000PUR	70UP8070PUR
55UP7100ZUF	75UP7070PUD	55UP7670PUC	70UP7770PUB	55UP8000PUA	75UP8070PUA
55UP7560AUD	75UP7170ZUC	55UP7700PUB	75UP7670PUB	55UP8000PUR	75UP8070PUR
65UP7100ZUF	75UP7570AUE	60UP7670PUB	75UP7770PUB	60UP8000PUA	82UP8770PUA
		60UP7700PUB		60UP8000PUR	86UP8770PUA

804106611A

Important Safety Instruction

- Heed all warnings.
- Follow all instructions
- . Do not use this apparatus near water.
- Clean only with dry cloth.
- Do not block any ventilation openings. Install in accordance with the manufacturer's instructions
- . Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat. Do not defeat the safety purpose of the polarized or grounding-type plug. A polarized plug as two blades with one wider than the other. A
 grounding type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. If the provided
 plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet.
- · Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the
- Only use attachments/accessories specified by the manufacturer.
- Use only with the cart, stand, tripod, bracket, or table specified by the manufacturer, or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-ove
- Unplug this apparatus during lightning storms or when unused for long periods of time.
 Refer all servicing to qualified service personnet. Servicing is required when the apparatus has been damaged in any way, such as power-supply, cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.

By using this product, you agree that all disputes between you and LG arising out of or relating in any way to this product (including but not limited to warranty disputes) shall be resolved exclusively through binding arbitration on an individual basis. The terms of the arbitration agreement (including details on the procedure for resolving disputes) is available at www.lg.com/us/arbitration (USA) or www.lg.com/ca_en/arbitration

Title

1 Warning! Safety instructions

2 Preparing

- Lifting and moving the TV
- Mounting on the Table
- Mounting to the Wall Antenna/Cable

3 Starting TV Turning on the TV

Registering Magic Remote Control

4 Using Remote Control

Using Magic Remote Control Using Remote Control

5 Connections

Open Source Software Notice Information 8 Regulatory

6 Troubleshooting

7 Specifications

Before reading this manual

- Read this manual thoroughly before operating your TV, and keep it for future reference.
 On the website you can download the manual including installation, using, troubleshooting, specifications, license etc and view its contents on your PC or mobile device.

For more information about this TV, read the USER GUIDE embedded in the product. • To open the USER GUIDE \longrightarrow \bigcirc \longrightarrow [Support] \longrightarrow [User Guide]

Optional Extras

- Optional extras can be changed or modified for quality improvement without any notification. Contact your dealer for buying these items. These devices work only with certain models. The model name or design may be changed due to the manufacturer's circumstances or policies.
- Magic Remote Control : MR21GA

Check whether your TV model supports Bluetooth in the Wireless Module Specification to verify whether it can be used with the Magic

A cable to connect antennas and external devices must be purchased separately

Note

- · Product specifications or contents of this manual may be changed without prior notice due to upgrade of product
- The items supplied with your product may vary depending upon the model.
- Image shown may differ from your TV.

Warning! Safety instructions







CAUTION: TO REDUCE THE RISK OF ELECTRIC SHOCK DO NOT REMOVE COVER (OR BACK). NO USER SERVICEABLE PARTS INSIDE. REFER TO QUALIFIED

The symbol is intended to alert the user to the presence of uninsulated dangerous voltage within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.

The symbol is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the device. WARNING: TO REDUCE THE RISK OF FIRE AND ELECTRIC SHOCK, DO NOT EXPOSE THIS PRODUCT TO RAIN OR MOISTURE.

- TO PREVENT THE SPREAD OF FIRE, KEEP CANDLES OR OTHER

- ITEMS WITH OPEN FLAMES AWAY FROM THIS PRODUCT AT ALL TIMES.
- Do not place the TV and/or remote control in the following environments:
- Keen the product away from direct sunlight. An area with high humidity such as a bathroon Near any heat source such as stoves and other devices that
- . Near kitchen counters or humidifiers where they can easily
- be exposed to steam or oil An area exposed to rain or wind.
- Do not expose to dripping or splashing and do not place
- over the apparatus (e.g., on shelves above the unit).
- Near flammable objects such as gasoline or candles, or expose the TV to direct air conditioning.
- Do not install in excessively dusty places
- Otherwise, this may result in fire, electric shock, combustion/ explosion, malfunction or product deformation
- Install your TV where there is proper ventilation. Do not install in a confined space such as a bookcase.
- Do not install the product on a carpet or cushion. Do not block or cover the product with cloth or other materials while unit is plugged in.
- Take care not to touch the ventilation openings. When watching the TV for a long period, the ventilation openings
- Protect the power cord from physical or mechanical abuse. such as being twisted, kinked, pinched, closed in a door, or walked upon. Pav particular attention to plugs, wall outlets, and the point where the cord exits the device
- Do not move the TV whilst the Power cord is plugged in.
- · Do not use a damaged or loosely fitting power cord.
- . Be sure to grasp the plug when unplugging the power cord.
- Disconnecting the Device from the Main Power The power plug is the disconnecting device. In case of an emergency, the power plug must remain readily accessible.
- Do not let your children climb or cling onto the TV. Otherwise,
- the TV may fall over, which may cause serious injury. · Outdoor Antenna Grounding (Can differ by country). If an outdoor antenna is installed, follow the precautions below. An outdoor antenna system should not be located in the vicinity of overhead power lines or other electric linht or power circuits, or where it can come in contact with such power lines or circuits as death or serious injury can occur. Be sure the antenna system is grounded to provide some protection against voltage surges and built-up static charges.

- Section 810 of the National Electrical Code (NEC) in the U.S.A. provides information with respect to proper grounding of the mast and supporting structure, grounding of the lead-in wire to an antenna discharge unit, size of grounding conductors, location of antenna discharge unit, connection to grounding electrodes and requirements for the grounding electrode. Antenna grounding according to the National Electrical Code, ANSI/NFPA 70
- Grounding (Except for devices which are not grounded.)
- TV with a three-prong grounded AC plug must be connected to a three-prong grounded AC outlet. Ensure that you connect the earth ground wire to prevent possible
- Never touch this apparatus or antenna during a lightning
- . Make sure the power cord is connected securely to the TV and wall socket if not secured damage to the Plug and socket may occur and in extreme cases a fire may break out.
- Do not insert metallic or inflammable objects into the product. If a foreign object is dropped into the product,
- unplug the power cord and contact the customer service Do not touch the end of the power cord while it is plugged in.
- If any of the following occur, unplug the produc iately and contact a service center
- The product has been damaged. If water or another substance enters the product (like an AC adapter, power cord, or TV).
- When lightning storms or when unused for long periods
- Even the TV is turned off by remote control or button, AC power source is connected to the unit if not unplugged in. Do not use high voltage electrical equipment near the TV
- Do not attempt to modify this product in any way without written authorization from LG Electronics Accidental fire or electric shock can occur. Contact your local customer se for service or repair. Unauthorized modification could void the
- user's authority to operate this product. Use only an authorized attachments / accessories approved by LG Electronics. Otherwise, this may result in fire, electric
- shock, malfunction, or product damage. Never disassemble the AC adapter or power cord. This may
- Handle the adapter carefully to avoid dropping or striking it. An impact could damage the adapter
- To reduce the risk of fire or electrical shock, do not touch the TV with wet hands. If the power cord prongs are wet or vered with dust, dry the power plug completely or wipe
- Store the accessories (battery, etc.) in a safe location out of the reach of children
- Do not short circuit, disassemble, or allow the batteri to overheat. Do not dispose of batteries in a fire. Batteries should not be exposed to excessive heat.

- Caution: Risk of fire or explosion if the battery is replaced by an incorrect type.
- Moving

 When moving, make sure the product is turned off, unplugged, and all cables have been removed. It may take 2 or more people to carry larger TVs. Do not press or put stress on the front panel of the TV. Otherwise, this may
- result in product damage, fire hazard or injury.

- Keep the packing anti-moisture material or vinyl packing out
- Do not allow an impact shock, any objects to fall into the product, and do not drop anything onto the screen
- . Do not press strongly upon the panel with a hand or a sharp object such as a nail, pencil, or pen, or make a scratch on it. It may cause damage to screen.
- When cleaning, unplug the power cord and wipe gently with a soft/dry cloth. Do not spray water or other liquids directly on the TV. Do not clean your TV with chemicals including glass cleaner, any type of air freshener. insecticide, lubricants, wax (car. industrial), abrasive thinner, benzene, alcohol etc., which can damage the product and/or its panel. Otherwise, this may result in electric shock or product damage.

2 Preparing

Lifting and moving the TV

When moving or lifting the TV, read the following to prevent the TV from being scratched or damaged and for safe transportation regardless of its type and size.

- It is recommended to move the TV in the box or packing material that the TV originally came in.
- Before moving or lifting the TV, disconnect the power cord and all cables
- When holding the TV, the screen should face away from you to avoid damage.
- $\label{thm:continuous} \mbox{Hold the top and bottom of the TV frame firmly. Make sure not to hold the transparent part,}$
- Use at least two people to move a large TV.
- When transporting the TV by hand, hold the TV as shown in the following illustration
- When transporting the TV. do not expose the TV to jolts or excessive vibration.
- $When transporting the \, TV, keep \, the \, TV \, upright; never turn \, the \, TV \, on \, its \, side \, or \, till \, towards \, the \, left \, or \, right.$
- When handling the TV, be careful not to damage the protruding buttons



- . Do not place the product on the floor with its front facing down without padding. Failure to do so may result in damage to the
- · When attaching the stand to the TV set, place the screen facing down on a cushioned table or flat surface to protect the screen from

Mounting on the Table

- Lift and tilt the TV into its upright position on a table.

 Leave a minimum of 10 cm (4 inches) space from the wall for prope
- 2 Connect the power cord to a wall outlet.





- • If you install the TV on a stand, you need to take actions to prevent the product from overturning. Otherwise, the product may fall over,
 - Do not use any unapproved items to ensure the safety and product life span.
 - $\bullet\,$ Any damage or injuries caused by using unapproved items are not covered by the warranty.
 - Make sure that the screws are fastened tightly. (If they are not fastened securely enough, the TV may tilt forward after being installed.) • Do not fasten the screws with excessive force otherwise they may strip and become loose.
- Securing TV to the Wall
- ... where are notes inserted at the eye-boits position, remove the boits first. Mount the wall brackets with the boits to the wall. Match the location of the wall bracket and the eye-boits on the rear of the TV.

1 Insert and tighten the eye-bolts, or TV brackets and bolts on the back of the TV.


Connect the eye-bolts and wall brackets tightly with a sturdy rope. Make sure to keep the rope · Use a platform or cabinet that is strong and large enough to support the TV securely Brackets, bolts and ropes are not provided. You can obtain additional accessories from your local



(Depending upon model)

| Mounting to the Wall

An optional wall mount can be used with your LG Television. Consult with your local dealer for a wall mount that supports the VESA standard used by your TV model. Carefully attach the wall mount bracket at the rear of the TV. Install the wall mount bracket on a solid wall perpendicular to the floor. If you are attaching the TV to other building materials, please contact qualified personnel to install the wall mount. Detailed instructions will be included with the wall mount. We recommend that you use an LG brand wall mount. The LG wall mount is easy to adjust or to connect the cables. When you do not use LG's wall mount bracket, use a wall mount bracket where the device is adequately secured to the wall with enough space to allow connectivity to external devices. If you are using a non-adjustable mount, attach the mount to the wall. Attach the cables to the TV first, then attach the TV to the mount.





When you install the set to use the wall mounting bracket (optional parts), fix it carefully so as not to drop.

- Remove the stand before installing the TV on a wall mount by performing the stand attachment in reverse. · For more information of screws and wall mount bracket, refer to the Separate purchase.
- If you intend to mount the product to a wall, attach VESA standard mounting interface (cotional parts) to the back of the product
- $\bullet \ When \ mounting \ a \ TV \ on \ the \ wall, \ make \ sure \ not \ to \ install \ the \ TV \ by \ hanging \ the \ power \ and \ signal \ cables \ on \ the \ back \ of \ the \ TV.$ • Do not install this product on a wall if it could be exposed to oil or oil mist. This may damage the product and cause it to fall.



Wall Mounting Bracket

Ո

(Depending upon model) Make sure to use screws and wall mount bracket that meet the VESA standard. Standard dimensions for the wall mount kits are described in the



Wall mount bracket	WB21LMB	WB21LMB
Number of screws	2	2
Standard screw	M6	<u>M6</u>
Screws distance (A) (mm)	200	300
101	43/50UP80*	55/60/65UP80*
Model	43/50UP77*	55/60/65UP77*
	43/50UP76*	55/60/65UP76*



	43/50UP71*	55UP71*	65UP71*		70/75UP70*
	43/50UP75*	55UP75*	65UP75*	70/75UP76*	
Model	43/50UP76*	55UP76*	60/65UP76*	70/75UP77*	70/75UP71*
	43/50UP77*	55UP77*	60/6SUP77*	70/75UP80*	70/75UP75*
	43/50UP80*	55UP80*	60/65UP80*		82/86UP87*
VESA (A x B) (mm)	200 x 200	300 x 300	300 x 300	400 x 400	600 x 400
Standard screw	M6	M6	M6	M6	M8
Number of screws	4	4	4	4	4
Wall mount bracket	LSW240B OLW480B		OLW480B	LSW440B	LSW640B
wan mount bracket	MSW240	MSW240	UL11+0U0	L3W440B	L3W04UB

Antenna/Cable

Use a signal splitter to use 2 TVs or more.

Connect an antenna, cable, or cable box to watch TV while referring to the following. The illustrations may differ from the actual

• This TV cannot receive Ultra HD (3840 x 2160 pixels) broadcasts directly because the related standards have not been confirmed.

- Make sure not to bend the copper wire of the RF cable.
- Complete all connections between devices, and then connect the power cord to the power outlet to prevent damage to your TV.



• DTV Audio Supported Codec: MPEG, Dolby Digital

3 Starting TV Turning on the TV

You can simply operate the TV functions, using the button.



Using button



- 1) All running apps will close
- You can access and adjust the menu by pressing the button when TV is on.
 You can use the function when you access menu control.

Note • When the TV is turned on for the first time after being shipped from the factory, initialization of the TV may take

Adjusting the menu



• The available menus and options may differ from the input source or product model that you are using.

The device must be easily accessed to a location outlet near the access. Some devices are not made by turning on / off

Your TV's OSD (On Screen Display) may differ slightly from that shown in this manual.

button, turning off the device and unplugging the power cord. Inserting the battery (bateries not supplied)

in the direction of the TV's remote sensor.

When the message [Magic Remote battery is low. Please change the battery.] is displayed, replace the batteries. To İnstall batteries, open the battery cover, replace batteries (1.5 V AA) matching the
and ends to the label inside the compartment, and close the battery cover. Be sure to point the magic remote toward the remote control sensor on the TV. To remove the hatter the installation actions in reverse. This remote uses infrared light. When in use, it should be pointed

New features may be added to this TV in the future.

- To install batteries, open the battery cover, replace batteries (1.5 V AAA) matching the ⊕ and ⊖ ends to the label inside the compartment, and close the battery cover. To remove the batteries, perform the installation actions in reverse. This remote uses infrared light. When in use, it should be pointed in the direction of the IV's remote sensor.



- Do not mix new batteries with old batteries. This may cause the batteries to overheat and leak.
- Failure to match the correct polarities of the battery may cause the battery to burst or leak, resulting in fire, personal injury, or ambient
- This apparatus uses batteries. In your community there might be regulations that require you to cispose of these batteries properly due
 to environmental considerations. Please contact your local authorities for disposal or recycling information.
- Batteries inside or inside the product shall not be exposed to excessive heat such as sunshine, fireor the like

Registering Magic Remote Control

2 Point the Magic Remote at your TV and press the () Wheel (OK) on the remote control

How to register the Magic Remote Control To use the Magic Remote, first pair it with your TV. 1 Put batteries into the Magic Remote and turn the TV on

fithe TV fails to register the Magic Remote, try again after turning the TV off and back on How to deregister the Magic Remote Control

Press the ((Back) and (() (Home) buttons at the same time, for five seconds, to unpair the Magic Remote with your TV.

† Press and hold the 🙆 (Home) and 🎯 (Q.Settings) buttons for more than 5 seconds to disconnect and re-register the Magic Remote at the

It is recommended that an Access Point (AP) be located more than 0.2 m (0.65 ft), away from the TV. If the AP is installed closer than 0.2 m (0.65 ft), the Magic remote control may not perform as expected due to frequency interference.

4 Using Remote Control Using Magic Remote Control

(Depending upon model)
The descriptions in this manual are based on the buttons on the remote control. Please read this manual carefully and use the TV correctly.

Power Turns the TV on or off. (7B) — (Dash) Inserts a — between numbers such as 2-1 and 2-2. Accesses the saved channel list.

Accesses the [Guide]

GUIDE"

\$

(a)

Accesses the [Edit Quick Access].

[Edit Quick Access] is a feature that allows you to enter a specified app or Live TV directly by pressing and holding the number

saved channels.

(A)* @ Input Changes the input source. Input Accesses the [Home Dashboard].

Channel buttons Scrolls through the

Home Accesses the Home menu.





di:

(1) (2) (3)

Number buttons Enters numbers. Accesses the [Quick Help]. More actions Displays more remote control functions.

SAP (Secondary Audio Program) feature
can also be enabled by pressing the • • •

button. **Mute** Mutes all sounds. Mute Accesses the [Accessibility] menu. Voice recognition Network connection is required to use the voice recognition function. Check for recommended content. (Some

available in some countries.) disappear from the screen and Magic

Remote will operate like a general remote control. To display the pointer on the screen again, shake Magic Remote to the left and right. **Q. Settings** Accesses the Quick Settings. Q. Settings Displays the [All Settings]

menu. **Back** Returns to the previous level Back Clears on-screen displays and returns to last input viewing

These access special functions in some Red button Runs the record function.

** To use the button, press and hold for more than 1 second.











Streaming Service buttons Connects to the Video Streaming Service.

Using Remote Control

(Depending upon model)
The descriptions in this manual are based on the buttons on the remote control. Please read this manual carefully and use the TV correctly.

9"

€

Ω,

(e) ···

(1) Power Turns the TV on or off Dash Inserts a - between numbers such as 2-1 and 2-2. -/頭 (I) § Accesses the saved channel ONFO SAP ® 1 2 3 4 5 6 Displays the program event according to time scheduler. GUICH Shows information on the current 7 8 9 -/== 0 ···· , 4 & & Own program. Recalls your preferred subtitle in digital mode.
Enables SAP (Secondary Audio
Program) Feature.
Accesses the [Edit Quick Access].
[Edit Quick Access] is a feature that SAP allows you to enter a specified app or Live TV directly by pressing and holding the number buttons. Volume buttons Adjusts the 숲 volume level. **Channel buttons** Scrolls through Home Accesses the Home menu.. <u>@</u>" Home Launches the last used Input Changes the input source.

OK Selects menus or options and 0 OK Selects menus or options and confirms your input.
OK Accesses the [Magic Explorer].
When using [TV Guide], [Settings],
[Sports Alert], or [Art Gallery],
press and hold down on the text. <u></u>

5 V G ⅎ ⋖ ₽ ⋈ • ** == •

These access special functions in some Starts to record. (Only Time Machine Ready Streaming Service buttons Connects to 1 (Some buttons and services may not be provided depending upon models c_{Γ} regions.)

Accesses the [Quick Help].

Mute Mutes all sounds

More actions Displays more remote control functions.

Mute Accesses the [Accessibility] menu Navigation button (up / down / left /

right) Scrolls through menus or options.

Q. Settings Accesses the Quick Settings

Search Check for recommended content.

Clears on-screen displays and returns to last

input viewing.

Control buttons Control buttons for


Back Returns to the previous screen

Shows the search mode. You can watch TV or LG Channels.

** To use the button, press and hold for more than 1 second

5 Connections

You can connect various external devices to the TV. For more information on external device's connection, refer to the manual provided with each device. Connect your TV to external devices. For the best picture and audio quality, connect the external device and the TV with the HDMI cable.



External **Devices**

Supported external devices are: Blu-ray player, HD receivers, DVD players, VCrRs, audio systems, USB storage devices, PC, gaming devices, and other external devices. For more information on external device's connection, refer to the manual provided with each device.

Note

- If you record a TV program on a Blu-ray/DVD recorder or VCR, make sure to connect the TV signal input cable to the TV through a DVD recorder or VCR. For more information about recording, refer to the manual provided with the connected device.
- The external device connections shown may differ slightly from illustrations in a manual.
- Connect external devices to the TV regardless about the order of the TV port.
 If you connect a gaming device to the TV, use the cable supplied with the gaming device
- Refer to the external equipment's manual for operating instructions.
 In PC mode, there may be noise associated with the resolution, vertical pattern, contrast or brightness. If
- noise is present, change the PC output to another resolution, change the refresh rate to another rate or adjust the brightness and contrast on the [Pkture] menu until the picture is dear. Depending upon the graphics card, some resolution settings may not allow the image to be positioned on the screen properly.

 Some USB Hubs may not work. If a USB device connected through a USB Hub is not detected, connect it
- directly to the USB port on the TV.
- When connecting via a wired LAN, it is recommended to use a CAT 7 cable.
 - . The TV may be capable of operating without a set-top-box from a multichannel video programming
- To obtain the RS-232C external control setup information, please visit www.lg.com. Download and read the
- Remote RS-232C setup \triangle
- . Do not drop the product or let it fall over when connecting external devices. Otherwise, this may result in injury or damage to the product.
- When connecting external devices such as video game consoles, make sure the connecting cables are long. enough. Otherwise, the product may fall over, which may cause injury or damage the product.

ices are: Blu-ray player, HD receivers, DVD players, VCRs, audio systems, USB storage External devices, PC, gaming devices, and other external devices. **Devices** For more information on external device's connection, refer to the manual provided with each device

- . If you record a TV program on a Blu-ray/DVD recorder or VCR, make sure to connect the TV signal input cable to the TV through a DVD recorder or VCR. For more information about recording, refer to the manual provided
- with the connected device. The external device connections shown may differ slightly from illustrations in a manual.
 Connect external devices to the TV regardless about the order of the TV port.
- · If you connect a gaming device to the TV, use the cable supplied with the gaming device Refer to the external equipment's manual for operating instructions.
- In PC mode, there may be noise associated with the resolution, vertical pattern, contrast or brightness. If in PC linux, tiere in a verification consists associated with the resolution, retricts patient, contrast or originities. It is notice is present, Alange the PC output to another resolution, change the reflesh rate to another rate or adjust the brightness and contrast on the [Picture] menu until the picture is dear. Depending upon the graphics card, some resolution settings may not allow the image to be positioned on the screen properly.
- · Some USB Hubs may not work. If a USB device connected through a USB Hub is not detected, connect it
- directly to the USB port on the TV. When connecting via a wired LAN, it is recommended to use a CAT 7 cable.
- The TV may be capable of operating without a set-top-box from a multichannel video programming

 Output

 Description:

 Output

 D distributor (MVPD). To obtain the RS-232C external control setup information, please visit www.lg.com. Download and read the

Remote

RS-232C setup \triangle

· Do not drop the product or let it fall over when connecting external devices. Otherwise, this may result in

injury or damage to the product.

· When connecting external devices such as video game consoles, make sure the connecting cables are long enough. Otherwise, the product may fall over, which may cause injury or damage the product.

6 Troubleshooting

Cannot control the TV with the remote control.	Check if anything such as tape has been placed over the receiver. Check if there is any obstacle between the product and the remote control. Replace the batteries with new fresh ones.
No image display and no sound is produced.	 Check if the product is turned on. Check if the power cord is connected to a wall outlet. Check if there is a problem in the wall outlet by connecting other products.
The TV turns off suddenly.	Check the power control settings. The power supply may be interrupted. Check if the auto-off function is activated in the settings menu. If there is no signal while the TV is on, the TV will turn off automatically after 15 minutes of inactivity.
Abnormal Display	 If the TV feels cold to the touch, there may be a small flicker when it is turned on. This is normal; there is nothing wrong with TV. Some minute dot defects may be visible on the screen, appearing as tiny red, green, or blue spots. However, they have no adverse effect on the TVs performance. Avoid touching the LCD screen or holding your finger(s) against it for long periods of time. Doing so may produce some temporary distortion effects on the screen.
	 This panel is an advanced product that contains millions of pixels. In a very few cases, you could see fine dots on the screen while you're viewing the TV. Those dots are deachated pixels and do not affect the performance and reliability of the TV.
	 Displaying a still image for a prolonged period of time may cause an image sticking. Avoid displaying a fixed image on the TV screen for a extended length of time.
Generated Sound	 Cracking noise A cracking noise that occurs when watching or turning off the TV is generated by plastic thermal contraction due to temperature and humidity. This noise is common for products where thermal deformation is required.
	 Electrical circuit humming/panel buzzing A low level noise is generated from a high-speed switching circuit, which supplies a large amount of current to operate a product. It varies depending upon the product. This generated sound does not affect the performance and reliability of the product.

When cleaning the product, be careful not to allow any liquid or foreign objects to enter the gap between the upper, left or right side of the panel and the guide panel, (Depending

- Make sure to wring any excess water or cleaner from the cloth.
- · Do not spray water or cleaner directly onto the TV screen
- Make sure to spray just enough of water or cleaner onto a dry cloth to wipe the screen.

7 Specifications

Product specifications may be changed without prior notice due to upgrade of product functions. Estimated yearly energy consumption indicated on the FTC label is measured in accordance with the Test Procedures for Television Sets (USA only). The actual energy consumption depends on the usage environment (The content watched, TV settings, ek.).

- For information of the power supply and power consumption, refer to the label attached to the product.
 The typical power consumption is measured in accordance with IEC 62087 or each country's energy regulations.
 On some models, the label is inside the external device connection terminal cover.
- * Depending upon the model or country, the typical power consumption may not be on label

	Broadcasting Specifications							
Television system	ATSC / NTSC-M, 64 & 256 0AM							
Program coverage	VHF 2-13, UHF 14-69, DTV 2-69, CATV 1-135, CADTV 1-135							
External antenna impedance	75 Q							

(For 82/86UP87*)

Wireless LAN (IEEE)	802.11a/b/n/n/ac)
Frequency range	Output Power (Max.)
2,400 to 2,483.5 MHz	18.5 dBm
5,150 to 5,725 MHz	18 dBm
5,725 to 5,850 MHz	18 dBm
Bluet	ooth
Frequency range	Output power(Max.)
2,400 to 2,483.5 MHz	9 dBm

For consideration of the user, this device should be installed and operated with a minimum distance of 20 cm (7.8 inches) between the device and

FCC ID: BEJLGSBWAC95 / IC: 2703H-LGSBWAC95

(For 70/75UP70*, 70/75UP71*, 70/75UP75*)

Wireless module(LGSBW)	ACO2)Specifications									
Wireless LAN (IEEE 802.11a/b/g/n/ac)										
Frequency range	Output Power (Max.)									
2,400 to 2,483.5 MHz	18.5 dBm									
5,150 to 5,725 MHz	17 dBm									
5,725 to 5,850 MHz	18.5 dBm									
Bluetoot	h									
Frequency range	Output power(Max.)									
2,400 to 2,483.5 MHz	8.5 dBm									

As band channels can vary per country, the user cannot change or adjust the operating frequency. This product is configured for the regional frequency table

For consideration of the user, this device should be installed and operated with a minimum distance of 20 cm (7.8 inches) between the device and FCC ID: BEJLGSBWAC02 / IC: 2703H-LGSBWAC02

(Except for 82/86UP87*, 70/75UP70*, 70/75UP71*, 70/75UP75*)

Wireless module(LGSB	WACO3)Specifications
Wireless LAN (IEEE	802.11a/b/g/n/ac)
Frequency range	Output Power (Max.)
2,400 to 2,483.5 MHz	20 dBm
5,150 to 5,725 MHz	18.5 dBm
5,725 to 5,850 MHz	18 dBm
Bluet	ooth
Frequency range	Output power(Max.)
2,400 to 2,483.5 MHz	9 dBm

frequency table.

For consideration of the user, this device should be installed and operated with a minimum distance of 20 cm (7.8 inches) between the device and

FCC ID: BEJLGSBWAC03 / IC: 2703H-LGSBWAC03	
Environme	ent condition
Operating Temperature	0 °C to 40 °C (32 °F to 104 °F)
Operating Humidity	Less than 80 %
Storage Temperature	-20 °C to 60 °C (-4 °F to 140 °F)
Storage Humidity	Less than 85 %

Open Source Software Notice Information

To obtain the source code under GPL, LGPL, MPL, and other open source licenses, that is contained in this product, please visit http://ope

In addition to the source code, all referred license terms, warranty disclaimers and copyright notices are available for download

Licenses



HUCKSET



8 Regulatory

FCC NOTICE

(For USA)

(rer usay). This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna

- Reorient or relocate the receiving antenna.

Increase the separation between the equipment and the receiver.

- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.

This device compiles with part 15 of the FCR fulles. Operation is subject to the following two conditions: (1) this device may not cause harmful interference and (2) this device must accept any interference received, including interference that may cause undesired operation. Any changes or modifications in construction of this device which are not expressly approved by the party responsible for compiliance could void the user's authority to operate the equipment.

FCC Radio Frequency Interference Requirements (for UNII devices)

(is) from the property of the property of the S.25 to 5.35 GHz and 5.65 to 5.85 GHz bands. These radar stations can cause interference with and/or damage this device. This device cannot be co-located with any other transmitter.

FCC RF Radiation Exposure Statement

(For having wireless function (WLAN, Bluetooth,...))

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. This equipment should be installed and operated with minimum distance 20 cm (7.8 inches) between the antenna and your body. Users must follow the specific operating instructions for satisfying RF exposure compliants.

Industry Canada Statement

(For Canada)

(For having wireless function (WLAN, Bluetooth,...))

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

(1) This device may not cause interference.

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

IC Radiation Exposure Statement

For having wireless function (WLAN, Bluetooth,...))

This equipment omplies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20 cm (7.8 inches) between the antenna & your body.

NOTE THE MANUFACTURER IS NOT RESPONSIBLE FOR ANY RADIO OR TY INTERFERENCE CAUSED BY UNAUT-FORIZED MODIFICATIONS TO THIS EQUIPMENT. SUCH MODIFICATIONS COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT.

RSS-247 Requirement

(For Canada) (For product having the wireless function using 5 GHz frequency bands)

- (1) The device for operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to
- co-channel mobile satellite systems; (2) For devices with detachable antenna(s), the maximum antennagain permitted for devices in the bands 5250-5350 MHz and 5470-5725 MHz shall be such that the equipment still complies with the e.i.r.p. limit;
- (3) For devices with detachable antenna(s), the maximum antenna gain permitted for devices in the band 5725-5850 MHz shall be such that the equipment still complies with the e.i.r.p. limits as appropriate; and
- (4) (For devices operating in the band 5250-5350 MHz having an e.i.r.p. greater than 200 mW) Antenn type(s), antenna models(s), and worst-case tilt angle(s) necessary to remain compliant with the e.i.r.p. elevation mask requirement set forth in section 6.2.2.3 of RSS-247 shall be clearly indicated.

Users should also be advised that high-power radars are allocated as primary users (i.e. priority users) of the bands 5250-5350 MHz and 5650-5850 MHz and that these radars could cause interference and/or damage to LE-LAN devices.

NOTE TO CABLE/TV INSTALLER

(For USA and Canada)

(rol us) and calladay

This reminder is provided to call the CATV system installer's attention to Article 820-40 of the National Elextric Code (U.S.A.). The code provides guidelines for proper grounding and, in particular, specifies that the cable ground shall be connected to the grounding system of the building, as close to the point of the cable entry as practical.

WARNING! (STABILITY HAZARD)

A television set may fall, causing serious personal injury or death. Many injuries, particularly to children, can be avoided by taking simple precautions

- as:

 ALWAYS use cabinets or stands or mounting methods recommended by the manufacturer of the teevision set.

 ALWAYS use furniture that can safely support the television set.

 ALWAYS ensure the television set is not overhanging the edge of the supporting furniture.

 ALWAYS educate children about the dangers of climbing on furniture to reach the television set or its controls.

 ALWAYS route cords and cables connected to your television so they cannot be tripped over, pulled or grabbed.

 NEVER place a television set in an unstable location.

 NEVER place the television set on tall furniture (for example, cupboards or bookcases) without anchoring both the furniture and the television set to a suitable support.
- set to a suitable support.

 NEVER place the television set on cloth or other materials that may be located between the television set and supporting furniture.

 NEVER place thems that might tempt children to climb, such as toys and remote controls, on the top of the television or furniture on which the

television is placed. If the existing television set is going to be retained and relocated, the same considerations as above should be applied.

Symbols

Refers to direct current (DC). Refers to 'ON' (power). Refers to class II equipment. Refers to dangerous voltage.	~	Refers to alternating current (AC).	φ	Refers to stand-by.
Refers to class II equipment.		Refers to direct current (DC).	1	Refers to "ON" (power).
		Refers to class II equipment.	4	Refers to dangerous voltage.

PRINTED IN MEXICO OBPN: *MFL717528322106-REV03* SC: 28-10-2021 SHNMDL:43UP7560AUD_B

TAB / Elbrd:J.E.

804106611A















70UP8070PUA 75UP8070PUR 70UP8070PUR 82UP8770PUA 75UP8070PUA 86UP8770PUA

804006611B









The image shown here is for illustrative purposes only and may be subject to change. The actual number of ports and their locations may vary depending on the model.



The remote control vary depend of model: The buttons on the remote control may have a different name or location than the remote control shows in this manual.





MODELS	0	3	0	9	0	9	0	9	0	3	G		6	· G	Power Consumption
70UP8070PUA 70UP8070PUR	1,562 (61.4)			971 (38,2)	362 (14.2)	362 (14,2)	907 (35.7)	907 (35,7)		59,9 (2,3)	29.1 (64.1)	29,1 (64,1)	28.4 (26.6)	28,4 (26,6)	210 W
75UP8070PUA 75UP8070PUR	1,678 (66)			1 027 (40,4)	362 (14.2)	362 (14,2)	964 (37.9)	964 (37,9)			32.1 (70.7)	32,1 (70,7)	31.4 (69.2)	31,4 (69,2)	
82UP8770PUA				1 113 (43,8)	362 (14.2)		1,052 (41.4)			59,9 (2,3)		42,1 (92,8)	41.4 (91.2)		285 W
86UP8770PUA	1,927	1,927	1,167	1 167	362	362	1,104	1 104	59.9	59,9 (2,3)	45.9 (101.1)	45,9 (101,1)	45.2 (99.6)		
Power requirement (75.8) (75.8) (45.9) (45.9) (14.2) (14.2) (43.4) (43.4)										AC	120 V	~50/6	0 Hz		

804006611B



PRINTED IN MEXICO / SC:02-08-2022
OBPN: *MFL71756461*
SHNMDL:86UP8770PUA B / 1P / Elbrd:J.E.

😝 : Depending upon model