

Shark®

UltraLight Pet Corded Stick Vacuum

OWNER’S GUIDE

It’s important to read this Owner’s Guide prior to using your product for the first time.

804106774



IMPORTANT SAFETY INSTRUCTIONS
FOR HOUSEHOLD USE ONLY

⚠ WARNING

To reduce the risk of fire, electric shock, injury, or property damage, when using an electrical appliance, basic precautions should always be followed, including the following:

READ ALL INSTRUCTIONS BEFORE USING THIS VACUUM

1. Inspect power cord and plug for any damage before use. **DO NOT** use vacuum cleaner with a damaged cord or plug. Turn off all controls before plugging in or unplugging the vacuum cleaner. Store your vacuum cleaner with the power cord secured around the two cord hooks. To minimize the risk of power cord damage, do not allow the motorized brush roll to ingest the cord. If this occurs, immediately shut off power to the vacuum and remove the cord.

2. This appliance has a polarized plug, if the plug does not fit fully into the outlet, reverse the plug (one blade is wider than the other). If it still does not fit, contact a qualified electrician. **DO NOT** force into outlet or try to modify to fit.

3. Your vacuum cleaner may consist of a motorized nozzle, wand, hose, and/ or vacuum pod. This device contains electrical connections, electrical wiring, and moving parts that potentially present risk to the user.

4. Use only identical replacement parts.

5. Carefully observe and follow the instructions provided below to avoid improper use of the appliance. **DO NOT** use the vacuum for any purpose other than those described in this manual.

6. Before use, carefully inspect all parts for any damage. **DO NOT** use if any parts are damaged.

7. The use of an extension cord is **NOT** recommended.

8. This vacuum cleaner contains no serviceable parts.

9. This appliance can be used by persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Cleaning and user maintenance shall not be made by children. Keep the appliance and its cord out of reach of children. **DO NOT** allow the appliance to be used by children. **DO NOT** allow to be used as a toy. Close supervision is necessary when used near children.

10. Always turn off the vacuum cleaner before connecting or disconnecting any motorized nozzles or other accessories.

11. **DO NOT** handle plug or vacuum cleaner with wet hands.

12. **DO NOT** use without filters in place.

13. Only use Shark® branded filters and accessories.

14. **DO NOT** damage the power cord:

a) **DO NOT** pull or carry vacuum cleaner by the cord or use the cord as a handle.

b) **DO NOT** unplug by pulling on cord. Grasp the plug, not the cord.

c) **DO NOT** run the vacuum cleaner over the power cord, close a door on the cord, pull the cord around sharp corners, or leave the cord near heated surfaces.

15. **DO NOT** put any objects into nozzle or accessory openings. **DO NOT** use with any opening blocked; keep free of dust, lint, hair, and anything that may reduce airflow.

16. **DO NOT** use if nozzle or accessory airflow is restricted. If the air paths or the motorized floor nozzle become blocked, turn the vacuum cleaner off and unplug from electrical outlet. Remove all obstructions before you plug in and turn on the unit again.
17. Keep nozzle and all vacuum openings away from hair, face, fingers, uncovered feet, or loose clothing.

18. **DO NOT** use if vacuum cleaner is not working as it should, or has been dropped, damaged, left outdoors, or dropped into water.

19. Use extra care when cleaning on stairs.

20. **DO NOT** leave the vacuum cleaner unattended while plugged in.

21. When powered on, keep the vacuum cleaner moving over the carpet surface at all times to avoid damaging the carpet fibers.

22. **DO NOT** place vacuum cleaner on unstable surfaces such as chairs or tables.

23. Your Shark® vacuum may not be designed to stand up on its own. When taking a break from cleaning, you may need to lean it against furniture or a wall, or lay it flat on the floor. Using the vacuum for an application where the unit lacks stability may result in personal injury.

24. **DO NOT** use to pick up:

a) Liquids

b) Large objects

c) Hard or sharp objects (glass, nails, screws, or coins)

d) Large quantities of dust (drywall dust, fireplace ash, or embers). **DO NOT** use as an attachment to power tools for dust collection.

e) Smoking or burning objects (hot coals, cigarette butts, or matches)

f) Flammable or combustible materials (lighter fluid, gasoline, or kerosene)

g) Toxic materials (chlorine bleach, ammonia, or drain cleaner)

25. **DO NOT** use in the following areas:

a) Poorly lit areas

b) Wet or damp surfaces

c) Outdoor areas

d) Spaces that are enclosed and may contain explosive or toxic fumes or vapors (lighter fluid, gasoline, kerosene, paint, paint thinners, mothproofing substances, or flammable dust)

26. Turn off all controls before plugging in or unplugging the vacuum.

27. Unplug from electrical outlet when not in use and before any maintenance or cleaning.

28. Hand wash with water only. Washing with cleaning chemicals could damage the unit.

29. During cleaning or routine maintenance, **DO NOT** cut anything other than hair, fibers, or string wrapped around the brushroll.

30. Allow all filters to air-dry completely before replacing in the vacuum to prevent liquid from being drawn into electric parts.

31. Make sure the dust cup and all filters are in place after routine maintenance.

32. If provided, secure the power cord around the two cord hooks during storage.

SAVE THESE INSTRUCTIONS

ASSEMBLY

1. Insert **Wand** into **Floor Nozzle**.

2. Insert **Handheld Vacuum** into wand.

3. For compact storage, hang the handheld vacuum from the **Storage Hook** on the wand.

NOTE: Accessories may vary depending on the model. Refer to quick guide, if available. The images shown here are for illustrative purposes only and may be subject to change.

SETTINGS

Controls
The control panel is located on top of the handheld vacuum.

Power Button
Press the Power button to begin vacuuming. Press again to turn off power.

Bare Floor Setting
Bare Floor/Small Area Rugs
Slide the switch to setting I to clean bare floors and small area rugs. The brushroll spins slowly in this setting.

Carpet Setting
Slide the switch to setting II to clean carpets. The brushroll spins faster in this setting to pick up debris below carpet surfaces.

NOTE: Slide the floor selector switch to choose either Bare Floor or Carpet setting.
NOTE: For deep cleaning per ASTM F 608 (embedded dirt in carpets) please use the Carpet setting.
NOTE: Select Carpet for stuck-on dust and debris.

CLEANING MODES

UPRIGHT MODE
To clean bare floors and carpet, step on floor nozzle and tilt handheld vacuum back.

ABOVE-FLOOR WITH WAND
For more reach, detach the wand. Press the **Release Button** on the front of the nozzle neck, and pull up the wand to detach.

ABOVE-FLOOR HANDHELD
To detach the handheld vacuum, press the wand release button and lift the handheld vacuum off the wand. Great for cleaning stairs, furniture, and countertops.

STAIR CLEANING
To clean stairs or other narrow spaces, attach the handheld vacuum to the floor nozzle.

NOTE: All accessories are compatible with both the wand and the handheld vacuum.

STORAGE MODE

HANDHELD STORAGE HOOK
Press the **Wand Release** button near the top of the wand to detach the handheld vacuum. Align the **Catch** on the side of the handheld vacuum with the **Storage Hook** on the wand, then hang the handheld vacuum from the hook.


Wrap the cord around the two cord hooks. Start with the top hook, and leave a little slack in the cord.

MAINTENANCE


IMPORTANT: Unplug the vacuum before performing any maintenance.

EMPTYING THE DUST CUP


Empty the dust cup each time you vacuum and periodically during cleaning, when debris in the dust cup reaches the MAX fill line.




Press the wand release button and lift off the handheld vacuum.



To remove the dust cup from the handheld vacuum, press the two **Dust Cup Release** buttons at the same time and slide out the dust cup.



Hold the dust cup over the trash. Press the **Empty** button and pull the dust cup open until it clicks and locks in the open position. Gently tap the cone-shaped screen inside the dust cup to knock dust and debris into the trash.




To reinstall, push the lid closed, then insert the front end of the dust cup into the handheld vacuum first, then the back end, until it clicks into place.

CLEANING FILTERS


Regularly rinse and replace the filters to maintain your vacuum's suction power.

To prevent damage from cleaning chemicals, rinse filters with cold water only. Do not use soap. Allow all filters to air-dry for at least 24 hours before reinstalling them to prevent liquid from being drawn into electronic parts.



With the dust cup detached, press the **Filter Access** buttons on both sides of the back of the dust cup, then pull out the filter housing. Pull the foam filter out of the housing, then lift out the felt filter by the pull tab.

The **Pre-Motor Filters** should be washed once a month.




To access the post-motor filter, press the **Filter Access** latch on the cover on the handheld vacuum. Remove the cover and lift the out filter.


The **Post-Motor Filter** should be washed once every 9 months.

NOTE: The pre-motor filters should be replaced every 2.5 years. The post-motor filter should be replaced every 3 years.


CHECKING FOR BLOCKAGES



Detach the handheld vacuum from the wand. Remove the dust cup and check all intake openings for debris or blockages.





Detach the wand and check it for blockages.



Detach the wand, then tilt the floor nozzle **Debris Intake** back and check openings for blockages.

FLOOR NOZZLE MAINTENANCE



Remove any debris or hair wrap carefully with your hands or scissors. Check the debris intake and clear away any dirt or blockages. To close the debris intake, press down on both sides until it clicks into place.

The images shown here are for illustrative purposes only and may be subject to change.

TROUBLESHOOTING

Power cord caught in brushroll or floor nozzle.

- To minimize the risk of power cord damage, DO NOT run the vacuum over the power cord. If this occurs, immediately shut off power to the vacuum and remove the cord from the brushroll or nozzle.
- Inspect power cord and plug for any damage before use. DO NOT use vacuum cleaner with a damaged cord or plug. Turn off all controls before plugging in or unplugging the vacuum cleaner. Store your vacuum cleaner with the power cord secured around the two cord hooks.

Vacuum is not picking up debris. No suction or light suction.

(Refer to Maintenance section for more information.)

Empty the dust cup. Check filters to see if they need cleaning. Follow instructions for rinsing and completely air-drying the filters before reinstalling them.

- Clear any blockages in the nozzle, wand, handheld vacuum, or accessories. See Checking for Blockages section for more information.
- If any string, hair, or carpet fibers remain wrapped around the brushroll after continued use, carefully clear them away.
- Check the debris intake and clear any blockages. Ensure the intake is locked into place by pushing down on both sides.

Vacuum lifts area rugs.

Suction is powerful. Take care when vacuuming area rugs or rugs with delicately sewn edges.

- Turn off the unit to disengage the brushroll. To restart, press the power button on the handle. **NOTE:** Clean area rugs in Bare Floor mode or with accessories. See Available Accessories section for more information.

Brushroll does not spin.

If the brushroll indicator light turns solid red, immediately turn off and unplug the vacuum.

- Disconnect the wand from the floor nozzle and clear any blockages.
- Reconnect the wand, plug in the vacuum, and turn on the power.
- If the brushroll indicator light on the floor nozzle is green, the blockage has been successfully cleared. If the light is still red, please contact a service center.

Vacuum turns off on its own.

If your vacuum overheats, the thermostat will automatically turn off the motor. Perform the following steps to restart:

- Turn vacuum off and unplug it.
- Empty dust cup and clean filters. See Emptying the Dust Cup and Cleaning Filters sections.
- Check for blockages in wand, floor nozzle, handheld vacuum, inlet openings, and accessories.
- Reassemble the entire vacuum and ensure all parts click into place.
- Allow unit to cool for a minimum of 60 minutes.
- Plug in vacuum and turn it on.



Please be sure to read the enclosed Shark® Owner's Guide prior to using your unit.


Shark®

ULTRALIGHT PET CORDED STICK VACUUM

QUICK START GUIDE

WHAT'S INSIDE


- (A) Handheld Vacuum
- (B) Wand
- (C) Floor Nozzle
- (D) Pet Crevice Tool
- (E) Upholstery Tool
- (F) Precision Duster



NOTE: For proper operation, ensure all parts are firmly **CLICKED** into place.

NOTE: The images shown here are for illustrative purpose only and may vary.

ASSEMBLY



Elbrd: A.M.

OBPN: N/A

804006774

SC: 09-30-2022_5P

PRINTED IN MEXICO

MODEL: QS100QRD