

OWNER'S MANUAL Safety and Reference

LG OLED TV

Please read this manual carefully before operating your set and retain it for future reference.

Important Safety Instruction

- Read these instructions
- . Keen these instructions
- Heed all warnings.
- · Follow all instructions
- . Do not use this apparatus near wate
- · Clean only with dry cloth.
- Do not block any ventilation openings. Install in accordance with the manufacturer's instruction
- Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- . Do not defeat the safety purpose of the polarized or grounding-type plug. A polarized plug has two blades with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. If the provided plup does not fit into your outlet, consult an electrician for replacement of the obsolete outlet.
- Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the
- . Only use attachments/accessories specified by the manufacture
- Use only with the cart, stand, tripod, bracket, or table specified by the manufacturer, or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over
- Unplug this apparatus during lightning storms or when unused for long periods of time.
- · Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped

By using this product, you agree that all disputes between you and LG arising out of or relating in any way to this product (including but not limited to warranty disputes) shall be resolved exclusively through binding arbitration on an individual basis. The terms of the arbitration agreement (including details on the procedure for resolving disputes) is available at www.lg.com/us/arbitration (USA) or www.lg.com/ca en/arbitration

Warning! Safety instructions



RISK OF ELECTRIC SHOCK

CAUTION: TO REDUCE THE RISK OF ELECTRIC SHOCK DO NOT REMOVE COVER (OR BACK). NO USER SERVICEABLE PARTS INSIDE. REFER TO QUALIFIED SERVICE PERSONNEL.

The symbol is intended to alert the user to the presence of uninsulated dangerous voltage within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.

The symbol is intended to alert the user to the presence of important operating and maintenance (servicing) WARNING: TO REDUCE THE RISK OF FIRE AND ELECTRIC SHOCK, DO NOT EXPOSE THIS PRODUCT TO RAIN OR MOISTURE.

- TO PREVENT THE SPREAD OF FIRE, KEEP CANDLES OR OTHER ITEMS. WITH OPEN FLAMES AWAY FROM THIS PRODUCT AT ALL TIMES
- Do not place the TV and/or remote control in the following environments:
- Keep the product away from direct sunlight.
- An area with high humidity such as a bathroon Near any heat source such as stoves and other devices that
- . Near kitchen counters or humidifiers where they can easily be exposed to steam or oil.
- An area exposed to rain or wind.
- Do not expose to dripping or splashing and do not place objects. filled with liquids, such as vases, cups, etc. on or over the apparatus (e.g., on shelves above the unit).
- Near flammable objects such as pasoline or candles or expose
- the TV to direct air conditioning. Do not install in excessively dusty places
- Otherwise, this may result in fire, electric shock, combustion/

explosion, malfunction or product deformation

- Install your TV where there is proper ventilation. Do not install in

- a confined space such as a bookcase.
- Do not install the product on a carpet or cushion.
- Do not block or cover the product with cloth or other materials while unit is plugged in.
- Take care not to touch the ventilation openings. When watching the TV for a long period, the ventilation openings may become hot. Protect the power cord from physical or mechanical abuse, such as
- being twisted, kinked, pinched, closed in a door, or walked upon. Pay particular attention to plugs, wall outlets, and the point where the cord exits the device.
- Do not move the TV whilst the Power cord is plugged in. Do not use a damaged or loosely fitting power cord
- Be sure do grasp the plug when unplugging the power cord. Do
- not pull on the power cord to unplug the TV.
- · Do not connect too many devices to the same AC power outlet as this could result in fire or electric shock.

- · Never disassemble the AC adapter or power cord. This may result in fire or electric shock.
 - Handle the adapter carefully to avoid dropping or striking it. An impact could damage the adapter.
 - To reduce the risk of fire or electrical shock, do not touch the TV with wet hands. If the power cord prongs are wet or covered with dust, dry the power plug completely or wipe dust off.

Batteries

- Store the accessories (battery, etc.) in a safe location out of the reach of children.
- Do not short circuit, disassemble, or allow the batteries to overheat. Do not dispose of batteries in a fire. Batteries should not be exposed to excessive heat.
- Caution: Risk of fire or explosion if the battery is replaced by an incorrect type.

When moving, make sure the product is turned off, unplugged, and all cables have been removed. It may take 2 or more people

- to carry larger TVs. Do not press or out stress on the front panel of the TV. Otherwise, this may result in product damage, fire
- Keep the packing anti-moisture material or vinyl packing out of the reach of children
- Do not allow an impact shock, any objects to fall into the product, and do not drop anything onto the screen Do not press strongly upon the panel with a hand or a sharp
- object such as a nail, pencil, or pen, or make a scratch on it. It may cause damage to screen.

When cleaning, unplug the power cord and wipe gently with a soft/dry cloth. Do not soray water or other liquids directly on the TV. Do not clean your TV with chemicals including glass cleaner. any type of air freshener, insecticide, lubricants, wax (car, industrial), abrasive, thinner, benzene, alcohol etc., which can damage the product and/or its panel. Otherwise, this may result in electric shock or product damage.

Preparing

- When the TV is turned on for the first time after being shinned. from the factory, initialization of the TV may take approximately
- Image shown may differ from your TV.
- Your TV's OSD (On Screen Display) may differ slightly from that shown in this manual.
- The available menus and options may differ from the input source or product model that you are using.
- New features may be added to this TV in the future.
- The device must be easily accessed to a location outlet near the access. Some devices are not made by turning on / off button, turning off the device and unplugging the power cord.
- The items supplied with your product may vary depending upon
- Product specifications or contents of this manual may be changed
- without prior notice due to upgrade of product functions. For an optimal connection, HDMI cables and USB devices should have bezels less than 10 mm (0.39 inches) thick and 18 mm (0.7
 - Use an extension cable that supports USB 2.0 if the USB cable or USB flash drive does not fit into your TV's USB port.





* A ≤ 10 mm (0.39 inches) * B ≤ 18 mm (0.7 inches)

- Use a certified cable with the HDMI logo attached. If you do not use a certified HDMI cable, the screen may not display or a connection
- Recommended HDMI cable types (3 m (9.84 ft) or less) - Ultra High Speed HDM (*/ " cable
- When attaching the stand to the TV set, place the screen facing down on a cushioned table or flat surface to protect the screen
- Make sure to wring any excess water or cleaner from the cloth. Do not spray water or cleaner directly onto the TV screen.
- · Make sure to spray just enough of water or cleaner onto a dry cloth

Optional Extras

Optional extras can be changed or modified for quality improvement without any notification. Contact your dealer for buying these items. These devices work only with certain models. The model name or design may be changed due to the manufacturer's circumstances or

Magic Remote Control

MR20GA

the following table.

Check whether your TV model supports Bluetooth in the Wireless Module Specification to verify whether it can be used with the Magic

OLEDSS/65BX*

VESA (A x B) (mm) 300 x 200

Wall mount bracket OLW4808

Standard screw

Number of screws 4

OLED48/55/65CX* OLED77CX*

OLED77BX*

400 x 200

DLW480B

Do not touch the end of the power cord while it is plugged in. You **Wall Mounting Bracket** (Depending upon model)

· If any of the following occur, unplug the product Make sure to use screws and wall mount bracket that meet the VESA immediately and contact a service center. standard. Standard dimensions for the wall mount kits are described in

The product has been damaged. If water or another substance enters the product (like an AC adapter, power cord, or TVI.

Disconnecting the Device from the Main Power

TV may fall over, which may cause serious injury.

as death or serious injury can occur.

Outdoor Antenna Grounding (Can differ by country):

The power plug is the disconnecting device. In case of an

emergency, the power plug must remain readily accessible.

. Do not let your children climb ar cling onto the TV Otherwise, the

- If an outdoor antenna is installed, follow the precautions below.

An outdoor antenna system should not be located in the vicinity

of overhead power lines or other electric light or power circuits.

or where it can come in contact with such power lines or circuits

Be sure the antenna system is grounded to provide some

protection against voltage surges and built-up static charges

Section 810 of the National Electrical Code (NEC) in the U.S.A.

provides information with respect to proper grounding of the

mast and supporting structure, grounding of the lead-in wire

to an antenna discharge unit, size of grounding conductors,

electrodes and requirements for the grounding electrode

Grounding (Except for devices which are not grounded.)

earth ground wire to prevent possible electric shock.

You may be electrocuted.

and contact a service center.

may be electrocuted.

in extreme cases a fire may break out.

location of antenna discharge unit, connection to grounding

Antenna grounding according to the National Electrical Code.

TV with a three-prong grounded AC plug must be connected to

a three-prong grounded AC outlet. Ensure that you connect the

Never touch this apparatus or antenna during a lightning storm.

Make sure the power cord is connected securely to the TV and wall

socket if not secured damage to the Plug and socket may occur and

. Do not insert metallic or inflammable objects into the product. If a

foreign object is dropped into the product, unplug the power cord

- If you smell smoke or other odors coming from the TV When lightning storms or when unused for long periods of time. Even the TV is turned off by remote control or button, AC power
- source is connected to the unit if not unplugged in. Do not use high voltage electrical equipment near the TV (e.g., a bug zapper). This may result in product malfunction.
- . Do not attempt to modify this product in any way without written authorization from LG Electronics. Accidental fire or electric shock can occur. Contact a service center.
- Unauthorized modification could void the user's authority to operate this product.
- Use only an authorized attachments / accessories approved by LG Electronics. Otherwise, this may result in fire, electric shock malfunction, or product damage

Lifting and moving the TV When moving or lifting the TV, read the following to prevent the TV from being scratched or damaged and for safe transportation regardless of its type and size.

- . It is recommended to move the TV in the box or packing material that the TV originally came in
- Before moving or lifting the TV, disconnect the power cord and all
- When holding the TV, the screen should face away from you to avoid damage



 Hold the side and bottom of the TV frame firmly. Make sure not to hold the transparent part, speaker, or speaker grill area.




. Use at least two people to move a large TV. When transporting the TV by hand, hold the TV as shown in the following illustration.



- When transporting the TV, do not expose the TV to joits or excessiv When transporting the TV, keep the TV upright; never turn the TV
- on its side or tilt towards the left or right When handling the TV, be careful not to damage the protruding
- Avoid touching the screen at all times, as this may result \triangle
 - in damage to the screen. Do not place the product on the floor with its front facing down without padding. Failure to do so may result in
 - damage to the screen. · When attaching the stand to the TV set, place the screen facing down on a cushioned table or flat surface to protect the screen from scratches.

Mounting on the Table

 Lift and tilt the TV into its upright position on a table. · Leave a minimum of 10 cm (4 inches) space from the wall for proper ventilation.



(Depending upon model)

2 Connect the power cord to a wall outlet. . Do not apply foreign substances (oils, lubricants, etc.) to

- the screw parts when assembling the product. (Doing so may damage the product.)
- If you install the TV on a stand, you need to take actions to prevent the product from overturning. Otherwise, the product may fall over, which may cause injury. Do not use any unapproved items to ensure the safety
- and lifespan of the product. Any damages or injuries by using unapproved items are not covered by the warranty.
 - This TV cannot receive Ultra HD (3840 x 2160 pixels) broadcasts directly because the related standards have not been confirmed.

Make sure that the screws are fastened tightly. (If they Other connections are not fastened securely enough, the TV may tilt forward

after being installed.)

Securing TV to the Wall

bolts first.

to the mount.

support the TV securely.

accessories from your local dealer

they may strip and become loose

2 Mount the wall brackets with the bolts to the wall Match the

cable. Make sure to keep the rope parallel to the flat surface.

Use a platform or cabinet that is strong and large enough to

location of the wall bracket and the eye-bolts on the rear of the TV

3 Connect the eve-bolts and wall brackets tightly with a sturdy rope or

· Brackets, bolts and ropes are optional. You can obtain additional

Mounting to the Wall

(Wall mount kit not supplied)

An optional wall mount can be used with your LG Television. Consult

with your local dealer for a wall mount that supports the VESA

standard used by your TV model. Carefully attach the wall mount

wall perpendicular to the floor. If you are attaching the TV to other

building materials, please contact qualified personnel to install the

We recommend that you use an LG brand wall mount. The LG wall

wall mount. Detailed instructions will be included with the wall mount

mount is easy to adjust or to connect the cables. When you do not use

LGs wall mount bracket, use a wall mount bracket where the device is

adequately secured to the wall with enough space to allow connectivity

to external devices. If you are using a non-adjustable mount, attach the

(Depending upon model)

refer to the Separate purchase.

not to drop.

back of the TV.

Connections

provided with each device

RF cable is optional.

Antenna/Cable

Remove the stand before installing the TV on a wall

mount by performing the stand attachment in reverse

. For more information of screws and wall mount bracket

If you intend to mount the product to a wall, attach VESA

standard mounting interface (optional parts) to the back

of the product. When you install the set to use the wall

mounting bracket (optional parts), fix it carefully so as

. When mounting a TV on the wall, make sure not to install

the TV by hanging the power and signal cables on the

Do not install this product on a wall if it could be exposed

You can connect various external devices to the TV. For more

- Make sure not to bend the copper wire of the RF cable

Use a signal splitter to use 2 TVs or more.

. DTV Audio Supported Codec: MPEG, Dolby Digital

information on external device's connection, refer to the manual

Connect an antenna, cable, or cable box to watch TV while referring to

the following. The illustrations may differ from the actual items and an

· Complete all connections between devices, and then connect the

power cord to the power outlet to prevent damage to your TV.

to oil or oil mist. This may damage the product and cause

mount to the wall. Attach the cables to the TV first, then attach the TV

bracket at the rear of the TV Install the wall mount bracket on a solid

Do not fasten the screws with excessive force otherwise

Connect your TV to external devices. For the best picture and audio quality, connect the external device and the TV with the HDMI cable

- · When connecting the HDMI cable, the product and external device should be turned off and unplugged.
- Supported HDMI Audio format (Depending upon model): True HD (48 kHz), Dolby Digital / Dolby Digital Plus (32 kHz, 44.1 kHz, 48 kHz),
- PCM (32 kHz, 44.1 kHz, 48 kHz, 96 kHz, 192 kHz)
- On: Support 4K @ 50/60 Hz (4:4:4, 4:2:2, 4:2:0), 4K @ 100/120 Hz (4:4:4, 4:2:2, 4:2:0)

Off: Support 4K @ 50/60 Hz (4:2:0)

If the device connected to Input Port also supports Ultra HD Deep Color, your picture may be clearer. However, if the device doesn't support it, it may not work properly. In that case, change the TVS [HDMI Ultra HD Deep Color] setting to off.

External Devices

Supported external devices are: Blu-ray player, HD receivers, DVD players, VCRs, audio systems, USB storage devices, PC, gaming devices, and other external devices.

- recorder or VCR. For more information about recording, refer to the manual provided with the connected device.
- Connect external devices to the TV regardless about the order of the TV port.
- with the gaming device.
- Refer to the external equipment's manual for operating
- vertical pattern, contrast or brightness. If noise is present, change the PC output to another resolution, change the refresh rate to another rate or adjust the brightness and contrast on the [Picture] menu until the picture is clear. Depending upon the graphics card, some resolution settings may not allow the image to be positioned
- a USB Hub is not detected, connect it directly to the USB port or
- The TV may be capable of operating without a set-top-box from a multichannel video programming distributor (MVPD).


Remote RS-232C setup

To obtain the RS-232C external control setup information, please visit www.ig.com. Download and read the manual. (Depending upon

- consoles, make sure the connecting cables are long enough. Otherwise, the product may fall over, which may cause injury or damage the product.

You can simply operate the TV functions, using the button.





Basic functions

<B type>



- 1 All running agos will close 2 You can access and adjust the menu by pressing the button when
- 3. You can use the function when you acress menu control

<B type>

Power On (Press) Power Off1 (Press and hold) Volume Control 1 All running apps will close.

Adjusting the menu

When the TV is turned on, press the 🖒 button one time. You can adjust the Menu items using the button

type:	>
Ф	Turns the power off.
<u>-</u>	Changes the input source.
+	Adjusts the volume level.
\$	Scrolls through the saved channels.

< B type:	>
Ф	Turns the power off.
8	Accesses the settings menu.
×	Clears on-screen displays and returns to TV viewing.
_	Changes the input source.

Using Magic Remote Control

The descriptions in this manual are based on the buttons on the remote control. Please read this manual carefully and use the TV correctly. When the message [Magic Remote battery is low. Please change the battery.] is displayed, replace the batteries.

To install batteries, open the battery cover, replace batteries (1.5 V AA) matching the \bigoplus and \bigoplus ends to the label inside the compartment, and close the battery cover. Be sure to point the magic remote toward the remote control sensor on the TV. To remove the batteries, perform the installation actions in reverse. This remote uses infrared light. When in use, it should be pointed in the direction of the TV's remote sensor.



(Some buttons and services may not be provided depending upon models or regions.)

(Batteries not supplied)

** To use the button, press and hold for more than 1 second

(POWER) Turns the TV on or off. (STB POWER) You can turn your set-top box on or off by adding the setton box to the universal remote control for your TV.

lumber buttons Enters numbers. " Accesses the [Quick Help].

(DASH) Inserts a — between numbers such as 2-1 and 2-2. Accesses the saved channel list. - (MORE ACTIONS) Displays more remote control functions.

OUICK ACCESS" Edits OUICK ACCESS - QUICK ACCESS is a feature that allows you to enter a specified app or Live TV directly by pressing and holding the number button AD/SAP* SAP (Secondary Audio Program) feature can also be

enabled by pressing the ... button.
 +
 → Adjusts the volume level.
☼ (MUTE) Mutes all sounds.

석." (MUTE) Accesses the [Accessibility] menu. ♠ ★ Scrolls through the saved channels. (Voice recognition) Network connection is required to use the

vaice recognition function. Check for recommended content. (Some recommended services may

not be available in some countries.) ... (Voice recognition) Speak while pressing and holding the

button to use the voice recognition feature. (HOME) Accesses the Home menu

(home) Shows the previous history. (Q. Settings) Accesses the Quick Settings. (Q. Settings) Displays the [All Settings] menu.

 Wheel (OK) Press the center of button to select a menu. You can change channels by using (1) button. △▽⟨□**(up/down/left/right)** Press the up, down, left or right button to scroll the menu. If you press △▽⟨□⟩ buttons while the pointer is in use, the pointer will disappear from the screen and Magic Remote will operate like a general remote control. To display

the pointer on the screen again, shake Magic Remote to the left and ☐ (BACK) Returns to the previous level.

"(BACK) Clears on-screen displays and returns to last input Displays the program event according to time scheduler Streaming Service buttons Connects to the Video Streaming

(INPUT) Accesses the [Home Dashboard]. These access special functions in some >, || (Control buttons) Controls media contents.

(INPUT) Changes the input source.

Note: The image shown here is for illustrative purposes only and may be subject to change. The actual number of ports and their locations may vary depending on the model.

......

The cables mentioned in this manual are not supplied with your unit.



· If you record a TV program on a Blu-ray/DVD recorder or VCR, make sure to connect the TV signal input cable to the TV through a DVD.

- The external device connections shown may differ slightly from illustrations in a manual.
- If you connect a gaming device to the TV, use the cable supplied
- In PC mode, there may be noise associated with the resolution.
- on the screen properly. Some USB Hubs may not work. If a USB device connected through
- · When connecting via a wired LAN, it is recommended to use a CAT

- Do not drop the product or let it fall over when
 - connecting external devices. Otherwise, this may result in injury or damage to the product. When connecting external devices such as video game

Using Button



Registering Magic Remote Control

How to register the Magic Remote Control

To use the Magic Remote, first pair it with your TV.

- 1 Put batteries into the Magic Remote and turn the TV or
- 2 Point the Magic Remote at your TV and press the D Wheel (OK) on the remote control.
- * If the TV fails to register the Magic Remote, try again after turning

How to deregister the Magic Remote

Press the ← (BACK) and ← (HOME) buttons at the same time, for five seconds, to unpair the Magic Remote with your TV.

- * Press and hold the 🚟 button for more than 5 seconds to disconnec and re-register the Magic Remote at the same time.

the TV off and back on.

- It is recommended that an Access Point (AP) be located more than 0.2 m (0.65 ft) away from the TV. If the AP is installed closer than 0.2 m (0.65 ft), the Magic remote control may not perform as expected due to frequency
 - Do not mix new batteries with old batteries. This may cause the batteries to overheat and leak.
 - Failure to match the correct polarities of the battery may cause the battery to burst or leak, resulting in fire, personal injury, or ambient pollution.
- This annaratus uses hatteries. In your community there might be regulations that require you to dispose of these batteries properly due to environmental considerations. Please contact your local authorities for disposal or recycling information.
- Batteries inside or inside the product shall not be

User Guide

For more information about this TV, read the USER GUIDE embedded in the product.

• To open the USER GUIDE $\{3\} \rightarrow \{3\} \rightarrow [Support] \rightarrow [User]$

Troubleshooting

Cannot control the TV with the remote control

- Check if anything such as tape has been placed over the receive
- · Check if there is any obstacle between the product and the rem
- Replace the batteries with new fresh ones. No image display and no sound is produced.
- · Check if the product is turned on.
- Check if the power cord is connected to a wall putlet.
- · Check if there is a problem in the wall outlet by connecting other

The TV turns off suddenly

- · Check the power control settings. The power supply may be interrupted.
- · Check if the auto-off function is activated in the settings menu. • If there is no signal while the TV is on, the TV will turn off

automatically after 15 minutes of inactivity.

Abnormal Display

- . If the TV feels cold to the touch, there may be a small flicker when It is turned on. This is normal; there is nothing wrong with TV. Some minute dot defects may be visible on the screen, appearing as tiny red, green, or blue spots. However, they have no adverse effect on the TV's performance. Avoid touching the screen or holding your finger(s) against it for long periods of time. Doing so may produce some temporary distortion effects on the screen.
- This panel is an advanced product that contains millions of pixels. In a very few cases, you could see fine dots on the screen while you're viewing the TV. Those dots are deactivated pixels and do not affect the performance and reliability of the TV.

- Cracking noise A cracking noise that occurs when watching or turning off the TV is generated by plastic thermal contraction due to temperature and humidity. This noise is common for products where thermal deformation is required.
- Electrical circuit humming/panel buzzing A low level noise is generated from a high-speed switching circuit, which supplies a large amount of current to operate a product. It varies depending upon the product. This generated sound does not affect the performance and reliability of the product.



- Make sure to wring any excess water or cleaner from the cloth.
- Do not spray water or cleaner directly onto the TV screen Make sure to spray just enough of water or cleaner onto a
- dry cloth to wipe the screen.

Specifications

Product specifications may be changed without prior notice due to upgrade of product functions. stimated yearly energy consumption indicated on the FTC label is measured in accordance with the Test Procedures for Television Sets (USA only). The actual energy consumption depends on the usage environment (The content watched, TV settings, etc.).

- · For information of the power supply and power consumption, refer to the label attached to the product. The typical power consumption is measured in accordance with IEC 62087 or each country's energy regulations.
- * On some models, the label is inside the external device connection terminal cover.
- * Depending upon the model or country, the typical power consumption may not be on labe

Broadcasting Specifications								
Television system	ATSC / NTSC-M, 64 & 256 QAM							
Program coverage	VHF 2-13, UHF 14-69, DTV 2-69, CATV 1-135, CADTV 1-135							
External antenna impedance	75 0							

Wireless module (LGSB)	NAC92) Specifications								
Wireless LAN (IEEE 802.11a/b/g/n/ac)									
Frequency Range	Output Power (Max.)								
2,400 to 2,483.5 MHz 5,150 to 5,725 MHz 5,725 to 5,850 MHz	18 dBm 18 dBm 18 dBm								
Blueto	ooth								
Frequency Range	Output Power (Max.)								
2,400 to 2,483.5 MHz	8 dBm								

As band channels can vary per country, the user cannot change or adjust the operating frequency. This product is configured for the regional frequency table.

For consideration of the user, this device should be installed and operated with a minimum distance of 20 cm (7.8 inches) between the device

FCC ID: BEJLGSBWAC92 / IC: 2703H-LGSBWAC92

Environment condition								
Operating Temperature 0 °C to 40 °C (32 °F to 104 °F)								
Operating Humidity	Less than 80 %							
Storage Temperature	-20 ℃ to 60 ℃ (-4 °F to 140 °F)							
Storage Humidity	Less than 85 %							

Open Source Software Notice Information

To obtain the source code under GPL, LGPL, MPL, and other open source licenses, that is contained in this product, please visit http://opensource.

In addition to the source code, all referred license terms, warranty disclaimers and copyright notices are available for download. LG Electronics will also provide open source code to you on CD-ROM for a charge covering the cost of performing such distribution (such as the cost of media, shipping, and handling) upon email request to

This offer is valid for a period of three years after our last shipment of this product. This offer is valid to anyone in receipt of this information.

Licenses





JUICKSET

Important Information for Preventing Image Retention

OLED is a self-emissive technology, which brings many significant benefits to image quality and performance. As with any self-emitting display, it is possible for users of OLEDTVs to experience temporary image retention under certain conditions, such as when displaying a static image on the screen for a long time. LG DLED TVs incorporate dedicated functions that protect the screen from possible image

If a static image persists on screen, screen brightness is automaticall reduced in specific areas of, or across the entire screen. Once the static image disappears, screen brightness will automatically return to its prior setting. This is not a product malfunction.

Examples of Images that may Cause Image Retention

- Still images or fixed images containing certain information that are displayed uninterrupted on the screen, such as channel numbers, station logos, program titles, news or movie subtitles, and headlines.
- Fixed menu or icons for video game consoles or broadcasting
- · Black bars shown on the left, right, top, or bottom of the screen, such as in images with a 4:3 or 21:9 ratio.

Important Information for Preventing Image Retention

OLED is a self-emissive technology, which brings many significant benefits to image quality and performance. As with any self-emitting display, it is possible for users of OLEDTVs to experience temporary image retention under certain conditions, such as when displaying a static image on the screen for a long time. LG OLED TVs incomprate dedicated functions that protect the screen from possible image

If a static image persists on screen, screen brightness is automatically reduced in specific areas of, or across the entire screen. Once the static mage disappears, screen brightness will automatically return to its prior setting. This is not a product malfunction.

Examples of Images that may Cause Image Retention

- · Still images or fixed images containing certain information that are displayed uninterrupted on the screen, such as channel numbers, station logos, program titles, news or movie subtitles.
- Fixed menu or icons for video game consoles or broadcasting
- Black bars shown on the left, right, top, or bottom of the screen, such as in images with a 4:3 or 21:9 ratio.

Recommended Measures for Preventing Image Retention

- Avoid watching a video displaying an image as listed above for extended periods of time
- Adjust your TV settings as below when turning on a video exhibiting an image as listed above for extended periods of time. $\{\S\} \rightarrow \{\} \rightarrow \{\text{Picture}\} \rightarrow \{\text{Picture Mode Settings}\} \rightarrow \{\}$
- Picture Model -- [APS] $\{3 \rightarrow (3) \rightarrow [Picture] \rightarrow [Picture Mode Settings] \rightarrow [OLED]$
- LIGHT] → Adjust to lower value $: \mathbb{S} \to \mathbb{G} \to \mathbb{F}$ [Picture] $\to \mathbb{F}$ [OLED Screen Saver] $\to \mathbb{F}$ [Logo
- Luminance Adjustment] \rightarrow [High] Turn off the menu bar of an external device, such as a set-top box, to prevent long-term display of the menu bar of such device. (Please refer to the manual of the applicable external device for
- Adjust the settings as below when watching a video constantly showing black bars on the left, right, top or bottom, in order to remove the black bars.
- $\{\S\} \rightarrow \{\}\} \rightarrow [Picture] \rightarrow [Aspect Ratio Settings] \rightarrow [Aspect Ratio Sett$ Ratio] → [Vertical Zoom] or [4-Way Zoom]

Information on Functions Supporting Image Quality in **Relation to Temporary Image**

- LG OLED TVs provide a feature called Pixel Refresher, which helps to prevent temporary image retention.
- When the accumulated television viewing time reaches 2,000 hours or more (this is equivalent to watching TV for five hours a day over the course of a year). Pixel Refresher will be automatically activated once your TV is turned off. When turning off your TV, a notice will appear on the screen informing the activation of Pixel Refresher, This feature will run for an hour while your TV is turned off. A horizontal line may appear at the top or bottom of the screen when the process is almost finished.
- You may also manually activate Pixel Refresher via the TV menu: $\textcircled{3} \rightarrow \textcircled{1} \rightarrow \texttt{[Picture]} \rightarrow \texttt{[OLED Screen Saver]} \rightarrow \texttt{[Pixel]}$
- Whenever you watch your TV for more than four cumulative hour. Pixel Refresher will be automatically activated for a few minutes once your TV is turned off. (Note: Pixel Refresher will not be activated if the power cord of your TV is not plugged in or the main

Regulatory FCC NOTICE

(For USA) This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not istalled and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television recention, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measure:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help. This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference and (2) this device must accept any interference received including interference that may cause undesired operation. Any changes or modifications in construction of this device which are not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC Radio Frequency Interference Requirements (for UNII devices)

High power radars are allocated as primary users of the 5.25 to 5.35 GHz and 5.65 to 5.85 GHz bands. These radar stations can cause interference with and/or damage this device. This device cannot be co-located with

FCC RF Radiation Exposure Statement

(For having wireless function (WLAN, Bluetooth,...)) This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. This equipment should be installed and operated with minimum distance follow the specific operating instructions for satisfying RF exposure

NOTE TO CABLE/TV INSTALLER

(For USA.)

This reminder is provided to call the CATV system installer's attention to Article 820-40 of the National Electric Code (U.S.A.). The code provides guidelines for proper grounding and, in particular, specifies that the cable ground shall be connected to the grounding system of the building, as close to the point of the cable entry as practical.

Never place a television set in an unstable location. A television set may fall, causing serious personal injury or death. Many injuries, particularly to children, can be avoided by taking simple precautions such as:

- Using cabinets or stands recommended by the manufacturer of the television set.
- · Only using furniture that can safely support the television set. Ensuring the television set is not overhanging the edge of the supporting furniture.
- Not placing the television set on tall furniture (for example, cupboards or bookcases) without anchoring both the furniture and the television set to a suitable support.
- Not placing the television set on cloth or other materials that may be located between the television set and supporting furniture.

Educating children about the dangers of climbing on furniture t If your existing television set is being retained and relocated, the same onsiderations as above should be applied.

Symbols

*	
\sim	Refers to alternating current (AC).
	Refers to direct current (DC).
	Refers to class II equipment.
Ф	Refers to stand by.
	Refers to "ON" (power).
4	Refers to dangerous voltage.

LG Take-back & Recycling Policy

LG Electronics offers a customized e-waste take-back & recycling service that meets local needs and requirements in the countrie e-waste regulations are in place, and also provides product take-back & recycling service voluntarily in some regions. LG Electronics evaluate: products' recyclability at the design step selectively, with the goal of improving recyclability where practicable. Through these activities. LG Electronics seeks to contribute to conserving natural resources and protecting the environment. For more information, please visit our global site at https://www.lg.com/recycling




reach the television set or its controls.

Alexa is the intelligent cloud-based voice service that you can talk to on your LG TV. Speak to Alexa to play

sic, check weather, control smart nome devices, and more. Alexa lives in the cloud and is always getting smarter delivering new capabilities to your device automatically. Using Alexa on your LG TV is simple - just follow the instruction below to get started.

To learn more about using Alexa,



Setting up and Using Alexa is easy









Explore all of the fun and useful things to do with Alexa Alexa is always getting smarter, and there's always something new to try.

· Music · Information · Productivity · Smart Home control · Weather · News · Shopping · Audio Books and more "Add eggs to my shopping list." "What's in my cart?" "Let's play a game." 'What's on my calendar today?^ "Play the news." "Search for dog toys." "Read my book." "Play the new Ed Sheeran album." "What's the weather?" "What are the top skills? "Good morning." "What can I say?" "Play music from 1986." "What can you remember.

> Country/language availability Alexa availability, features, and languages vary by country/region Supported Country/Language: USA, Canada, Mexico/English, Français, Español To learn more, please visit https://www.com/alexa-availability

> > 804109887

PRINTED IN MEXICO SC:29-07-2020 OBPN:*MFL71439232* SHNMDL:OLED65CXAUA_B TAB / Elbrd:J.E.





OLED55CXPUA OLED65CXPUA OLED77CXPUA OLED65CXAUA






































Note: The image shown here is for illustrative purposes only and may be subject to change. The actual number of ports and their locations may vary depending on the model.
















(Batteries not supplied)

The remote control vary depend of model: The buttons on remote control may have a different name or location than the remote control shows in this manual.



MODELS	A		A B		G		O		G)		G		(3 -(6)		Power consumption
OLEDSSCXPUA	1,228	1 228	738	738	251	251	706	706	46.9	46,9	23.0	23,0	18.9	18,9	347 W
OLEDSSCXAUA	(48.3)	(48,3)	(29)	(29)	(9.8)	(9,8)	(27.7)	(27,7)	(1.8)	(1,8)	(50.7)	(50,7)	(41.6)	(41,6)	
OLED65CXPUA	1,449	1 449	862	862	251	251	830	830	45.9	46,9	32.6	32,6	24.0	24,0	467 W
OLED65CXAUA	(57)	(57)	(33.9)	(33,9)	(9.8)	(9,8)	(32.5)	(32,6)	(1.8)	(1,8)	(71.8)	(71,8)	(52.9)	(52,9)	
OLED77CXPUA	1,723	1 723	1,023	1 023	269	269	993	993	55.3	55,3	35.9	35,9	26.7	26,7	645 W
OLED77CXAUA	(67.8)	(67,8)	(40.2)	(40,2)	(10.5)	(10,5)	(39)	(39)	(2.1)	(2,1)	(79.1)	(79,1)	(58.8)	(58,8)	
Power requirement									AC 120 V ~ 50 / 60 Hz						



Read Safety and Reference.

The Analog Gender adapter can be purchased separately at Customer Service.

Please read this manual carefully before operating your set and retain it for future reference.

: Depending upon model

804009887



PRINTED IN MEXICO SC: 30.07.2020 1P / Elbrd:J.E. OBPN:*MFL71692503* SHNMDL:OLED65CXAUA B